

# CONTENTS

**03**

## DOWNLIGHTS AND SPOTLIGHTS

 NUDO	 ALKA	 NUYA	 NUKA	 CORA
 COSA	 TIRA	 TIKA	 ARTA	 ARKA
 ARUN	 AREN	 SALA	 MOVA	 CUBO
 CUDE	 MORI	 NIRA	 NIRA	 SABA
 SAKA	 PIRA	 LEDO	 LEDO	 LEDO
 LEDO	 MIO			




## NUDO

VSP03 3008A AB30  
VSP03 3008A AB40  
VSP03 3008A AB60

3inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
8W	800	100	3000 4000 6000	95x95x30	40




## NUDO

VSP03 4012A AB30  
VSP03 4012A AB40  
VSP03 4012A AB60

4inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	120x120x30	40




## NUDO

VSP03 5016A AB30  
VSP03 5016A AB40  
VSP03 5016A AB60

5inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
16W	1600	100	3000 4000 6000	145x145x30	28




## NUDO

VSP03 6024A AB30  
VSP03 6024A AB40  
VSP03 6024A AB60

6inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	180x180x30	28




## NUDO

VSP03 8030A AB30  
VSP03 8030A AB40  
VSP03 8030A AB60

8inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	220x220x30	20






IP40 / IP65

## ALKA

VSP03 2508B AB30  
VSP03 2508B AB40  
VSP03 2508B AB60

2.5inc Recessed Die Cast Body Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
8W	800	100	3000 4000 6000	93x93x41	40




IP40 / IP65

## ALKA

VSP03 3012B AB30  
VSP03 3012B AB40  
VSP03 3012B AB60

3inc Recessed Die Cast Body Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	118x118x44	40




IP40 / IP65

## ALKA

VSP03 4016B AB30  
VSP03 4016B AB40  
VSP03 4016B AB60

4inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
16W	1600	100	3000 4000 6000	147x147x49	28




IP40 / IP65

## ALKA

VSP03 5024B AB30  
VSP03 5024B AB40  
VSP03 5024B AB60

5inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	177x177x54	28




IP40 / IP65

## ALKA

VSP03 6030B AB30  
VSP03 6030B AB40  
VSP03 6030B AB60

6inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	228x228x56	20






### NUYA

VSP03 4016C SB30  
VSP03 4016C SB40  
VSP03 4016C SB60

4inc Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
16W	1600	100	3000 4000 6000	150x150x140	8




### NUYA

VSP03 5020C SB30  
VSP03 5020C SB40  
VSP03 5020C SB60

5inc Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	170x170x140	6




### NUYA

VSP03 6024C SB30  
VSP03 6024C SB40  
VSP03 6024C SB60

6inc Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	186x186x140	4





### NUKA

VSP03 4016D SB30  
VSP03 4016D SB40  
VSP03 4016D SB60

4inc Surface Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
16W	1600	100	3000 4000 6000	150x150x140	8





### NUKA

VSP03 5020D SB30  
VSP03 5020D SB40  
VSP03 5020D SB60

5inc Surface Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	170x170x140	6






## NUKA

VSP03 6024D SB30  
VSP03 6024D SB40  
VSP03 6024D SB60

6inc Surface Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	185x185x140	4




## CORA

VSP03 3009E AB30  
VSP03 3009E AB40  
VSP03 3009E AB60

3inc COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	3000 4000 6000	110x110x50	40





## CORA

VSP03 4012E AB30  
VSP03 4012E AB40  
VSP03 4012E AB60

4inc COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	130x130x50	40




## CORA

VSP03 5018E AB30  
VSP03 5018E AB40  
VSP03 5018E AB60

5inc COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	150x150x50	30




## CORA

VSP03 6025E AB30  
VSP03 6025E AB40  
VSP03 6025E AB60

6inc COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
25W	2500	100	3000 4000 6000	200x200x50	20






## CORA

VSP03 8032E AB30  
VSP03 8032E AB40  
VSP03 8032E AB60

8inc COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
32W	3200	100	3000 4000 6000	240x240x50	20




## COSA

VSP03 4012F SB30  
VSP03 4012F SB40  
VSP03 4012F SB60

COB LED Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	132x132x100	20




## COSA

VSP03 5018F SB30  
VSP03 5018F SB40  
VSP03 5018F SB60

COB LED Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	152x152x100	15




## COSA

VSP03 6025F SB30  
VSP03 6025F SB40  
VSP03 6025F SB60

COB LED Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
25W	2500	100	3000 4000 6000	202x202x100	10





## COSA

VSP03 8032F SB30  
VSP03 8032F SB40  
VSP03 8032F SB60

COB LED Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
32W	3200	100	3000 4000 6000	242x242x100	8







## TIRA

VSP03 5020G AB30  
VSP03 5020G AB40  
VSP03 5020G AB60

COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	160x160x50	20





## TIRA

VSP03 5030G AB30  
VSP03 5030G AB40  
VSP03 5030G AB60

COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	160x160x50	20





## TIKA

VSP03 2230GK AB30  
VSP03 2230GK AB40  
VSP03 2230GK AB60

COB LED Recessed Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	160x160x50	20





## TIKA

VSP03 2460GK AB30  
VSP03 2460GK AB40  
VSP03 2460GK AB60

COB LED Recessed Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	310x160x50	10





## TIKA

VSP03 2690GK AB30  
VSP03 2690GK AB40  
VSP03 2690GK AB60

COB LED Recessed Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
90W	9000	100	3000 4000 6000	460x160x50	4







### ARTA

VSP03 5020H AB30  
VSP03 5020H AB40  
VSP03 5020H AB60

COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	170x170x50	20





### ARTA

VSP03 5030H AB30  
VSP03 5030H AB40  
VSP03 5030H AB60

COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	170x170x50	20





### ARKA

VSP03 2230HA AB30  
VSP03 2230HA AB40  
VSP03 2230HA AB60

COB LED Recessed Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	170x170x50	20




### ARKA

VSP03 2460HA AB30  
VSP03 2460HA AB40  
VSP03 2460HA AB60

COB LED Recessed Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	315x170x50	10




### ARKA


VSP03 2690HA AB30  
VSP03 2690HA AB40  
VSP03 2690HA AB60

COB LED Recessed Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
90W	9000	100	3000 4000 6000	460x170x50	4








## ARUN

VSP03 3010J AB30  
VSP03 3010J AB40  
VSP03 3010J AB60

Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	95x95x30	20




## AREN

VSP03 1110K AB30  
VSP03 1110K AB40  
VSP03 1110K AB60

Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	95x95x30	20




## SALA

VSP03 3010L AB30  
VSP03 3010L AB40  
VSP03 3010L AB60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	115x115x80	20




## SALA

VSP03 5020L AB30  
VSP03 5020L AB40  
VSP03 5020L AB60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	185x185x80	10





## MOVA

VSP03 5020M AS30  
VSP03 5020M AS40  
VSP03 5020M AS60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	186x186x152	10






### CUBO

VSP03 2510N AB30  
VSP03 2510N AB40  
VSP03 2510N AB60

Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	80x80x50	20






### CUDE

VSP03 2510P AB30  
VSP03 2510P AB40  
VSP03 2510P AB60

Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	95x95x50	20







### MORI

VSP03 1110R AB30  
VSP03 1110R AB40  
VSP03 1110R AB60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	95x95x50	20





### MORI

VSP03 1220R AB30  
VSP03 1220R AB40  
VSP03 1220R AB60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	210x110x50	10





### MORI

VSP03 1330R AB30  
VSP03 1330R AB40  
VSP03 1330R AB60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	300x110x50	4






## NIRA

VSP03 2510S SS30  
VSP03 2510S SS40  
VSP03 2510S SS60

Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	95x95x205	10




## NIRA

VSP03 2010S SS30  
VSP03 2010S SS40  
VSP03 2010S SS60

Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	55x55x150	20





## SABA

VSP03 2510T SB30  
VSP03 2510T SB40  
VSP03 2510T SB60

Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	80x80x110	20




## SAKA

VSP03 2510V SB30  
VSP03 2510V SB40  
VSP03 2510V SB60

Surface Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	80x80x110	20





## PIRA

VSP03 2005Y SS30  
VSP03 2005Y SS40  
VSP03 2005Y SS60

Surface Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
5W	500	100	3000 4000 6000	55x55x100	40







**LEDO**

VSP03 5306ZA AB30  
VSP03 5306ZA AB40  
VSP03 5306ZA AB60

Recessed Downlight Luminaires With Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	720	120	3000 4000 6000	95x45x35	20





**LEDO**

VSP03 5610ZA AB30  
VSP03 5610ZA AB40  
VSP03 5610ZA AB60

Recessed Downlight Luminaires With Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1200	120	3000 4000 6000	145x45x35	10




**LEDO**

VSP03 5306ZB SB30  
VSP03 5306ZB SB40  
VSP03 5306ZB SB60

Surface Downlight Luminaires With Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	720	120	3000 4000 6000	100x45x80	20





**LEDO**

VSP03 5610ZB SB30  
VSP03 5610ZB SB40  
VSP03 5610ZB SB60

Surface Downlight Luminaires With Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1200	120	3000 4000 6000	150x45x80	10



**MIO**

VSP03 1003X AB30  
VSP03 1003X AB40  
VSP03 1003X AB60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	270	90	3000 4000 6000	40x40x26	80

