

VELAR
LIGHTING



2024
BRIEF
CATALOG

MEANING OF CODES

PRODUCT
TYPE

AR-CHITECTURAL
LI-NEAR
DO-WNLIGHT

PRODUCT
DIMENSION

66-600X600mm
33-300X300mm
31-300X1200mm

PRODUCT
COLOR

S-Black
B-White
G-Grey

PRODUCT
CODE

A
B
C

EMG.KIT
OPTION

0-W.out
1-Hour
3-Hour

V A R 01

6 6 6 0 A

S S 4 0

VELAR

BRAND
CODE

01
02
03

PRODUCT
CATEGORY

20W
36W
60W

PRODUCT
WATTAGE

A -Recessed
S-Recessed

CEILING
TYPE


PRODUCT
KELVIN

3000K
4000K
6000K

CONTENTS

10

URBAN AND PARK LUMINAIRES






REKA

VPA10 3130A UG30
VPA10 3130A UG40
VPA10 3130A UG60

Single Console Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3600	120	3000 4000 6000	700x120x3000	1




REKA

VPA10 3260A UG30
VPA10 3260A UG40
VPA10 3260A UG60

Double Console Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7200	120	3000 4000 6000	1400x120x3000	1




ZANA

VPA10 3030B UG30
VPA10 3030B UG40
VPA10 3030B UG60

Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	150x150x3000	1




VUNA

VPA10 3030C UG30
VPA10 3030C UG40
VPA10 3030C UG60

Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	150x150x3000	1




ODAR

VPA10 3040D UG30
VPA10 3040D UG40
VPA10 3040D UG60

Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4000	100	3000 4000 6000	150x150x3000	1






ONIN

VPA10 3130E UG30
VPA10 3130E UG40
VPA10 3130E UG60

Architectural Round Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3600	120	3000 4000 6000	500x500x3000	1




KANIN

VPA10 3130F UG30
VPA10 3130F UG40
VPA10 3130F UG60

Architectural Square Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3600	120	3000 4000 6000	500x500x3000	1




VERON

VPA10 3130G UG30
VPA10 3130G UG40
VPA10 3130G UG60

Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3600	120	3000 4000 6000	400x400x3000	1




DERA

VPA10 3130H UG30
VPA10 3130H UG40
VPA10 3130H UG60

Single Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	400x400x3000	1




DERA

VPA10 3260H UG30
VPA10 3260H UG40
VPA10 3260H UG60

Double Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	900x400x3000	1






RONA

VPA10 3160J UG30
VPA10 3160J UG40
VPA10 3160J UG60

Single Console Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	400x400x3000	1




RONA

VPA10 3212J UG30
VPA10 3212J UG40
VPA10 3212J UG60

Double Console Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	12000	100	3000 4000 6000	900x400x3000	1




VOLEN

VPA10 3140K UG30
VPA10 3140K UG40
VPA10 3140K UG60

Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4000	100	3000 4000 6000	600x600x3000	1




IVOR

VPA10 3160L UG30
VPA10 3160L UG40
VPA10 3160L UG60

Single Console Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	700x150x3000	1




OSAN

VPA10 3550M UG30
VPA10 3550M UG40
VPA10 3550M UG60

Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	5000	100	3000 4000 6000	150x150x3000	1






MECNA

VPA10 3130N UG30
VPA10 3130N UG40
VPA10 3130N UG60

Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	250x250x3000	1




KEHNA

VPA10 3130P UG30
VPA10 3130P UG40
VPA10 3130P UG60

Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	250x250x3000	1




KLAB

VPA10 3130R UG30
VPA10 3130R UG40
VPA10 3130R UG60

Single Console Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	3000	1




KLAB

VPA10 3260R UG30
VPA10 3260R UG40
VPA10 3260R UG60

Double Console Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	3000	1




MANEK

VPA10 3130S UG30
VPA10 3130S UG40
VPA10 3130S UG60

Single Console Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	3000	1






MANEK

VPA10 3160S UG30
VPA10 3160S UG40
VPA10 3160S UG60

Double Console Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	3000	1




YEPON

VPA10 3130T UG30
VPA10 3130T UG40
VPA10 3130T UG60

Single Console Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	3000	1





YEPON

VPA10 3260T UG30
VPA10 3260T UG40
VPA10 3260T UG60

Double Console Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	3000	1




CONTENTS

11

BOLLARDS




REKA



REYA



DAKAR



ZANA



VUNA



ODAR



ODIN



RUNE



BOLTA



DERA




YUTA



YUTA



KATA



KATA



BOSRA



ANYU



HELRA



MABA



MIBA




LIBA



POLO



POKA




REKA

VBL11 0810A UG30
VBL11 0810A UG40
VBL11 0810A UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	80x150x800	1




REYA

VBL11 0810AB UG30
VBL11 0810AB UG40
VBL11 0810AB UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	80x120x800	1





DAKAR

VBL11 0810E UG30
VBL11 0810E UG40
VBL11 0810E UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1




ZANA

VBL11 0810B UG30
VBL11 0810B UG40
VBL11 0810B UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1




VUNA

VBL11 0810C UG30
VBL11 0810C UG40
VBL11 0810C UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1






ODAR

VBL11 0810D UG30
VBL11 0810D UG40
VBL11 0810D UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1




ODIN

VBL11 0810F UG30
VBL11 0810F UG40
VBL11 0810F UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1




RUNE

VBL11 0810G UG30
VBL11 0810G UG40
VBL11 0810G UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1




BOLTA

VBL11 0810J UG30
VBL11 0810J UG40
VBL11 0810J UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	100x100x800	1




DERA

VBL11 0820H UG30
VBL11 0820H UG40
VBL11 0820H UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1800	90	3000 4000 6000	80x900x800	1






YUTA

VBL11 0805JA UG30
VBL11 0805JA UG40
VBL11 0805JA UG60

Single Side Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
5W	450	90	3000 4000 6000	120x120x800	1





YUTA

VBL11 0810JB UG30
VBL11 0810JB UG40
VBL11 0810JB UG60

Double Side Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1





KATA

VBL11 0805KA UG30
VBL11 0805KA UG40
VBL11 0805KA UG60

Single Side Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
5W	450	90	3000 4000 6000	120x120x800	1




KATA

VBL11 0810KB UG30
VBL11 0810KB UG40
VBL11 0810KB UG60

Double Side Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1




BOSRA

VBL11 0605L UG30
VBL11 0605L UG40
VBL11 0605L UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
5W	450	90	3000 4000 6000	55x160x600	1






ANYU

VBL11 0706M UG30
VBL11 0706M UG40
VBL11 0706M UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	100x100x700	1




HELRA

VBL11 0806N UG30
VBL11 0806N UG40
VBL11 0806N UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	70x70x800	1




MABA

VBL11 0706P UG30
VBL11 0706P UG40
VBL11 0706P UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	100x100x700	1




MIBA

VBL11 0806R UG30
VBL11 0806R UG40
VBL11 0806R UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	70x70x800	1




LIBA

VBL11 0808S UG30
VBL11 0808S UG40
VBL11 0808S UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
8W	720	90	3000 4000 6000	70x70x750	1






POLO

VBL11 0812T UG30
VBL11 0812T UG40
VBL11 0812T UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	70x170x800	1




POKA

VBL11 0812U UG30
VBL11 0812U UG40
VBL11 0812U UG60

Architectural Bollard Luminaires













Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	70x155x800	1



CONTENTS

12

WALL LUMINAIRES






DUNO

VAL12 1212A WG30
VAL12 1212A WG40
VAL12 1212A WG40

Wall Mounted Double Side Up&Down Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	70x240	1




DUKA

VAL12 1212B WG30
VAL12 1212B WG40
VAL12 1212B WG60

Wall Mounted Double Side Up&Down Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	70x240	1



LIDO

VAL12 1210C WG30
VAL12 1210C WG40
VAL12 1210C WG60

Wall Mounted Single Side Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	200x70	1




POLO

VAL12 1112T WG30
VAL12 1112T WG40
VAL12 1112T WG60

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	70x145	1





POKA

VAL12 1112U WG30
VAL12 1112U WG40
VAL12 1112U WG60

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	70x145	1






UPDO

VAL12 1210D WS00

Wall Mounted Double Side Up&Down Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
2XGU10	900	90	3000 4000 6000	60x60x160	1



HELRA


VAL12 1206N WG30

VAL12 1206N WG40

VAL12 1206N WG40

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	70x70x220	1



MABA


VAL12 1206R WG30

VAL12 1206R WG40

VAL12 1206R WG60

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	70x70x220	1



ZANA


VAL12 1206M WG30

VAL12 1206M WG40

VAL12 1206M WG60

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	100x100x250	1



VUNA


VAL12 1206P WG30


VAL12 1206P WG40

VAL12 1206P WG60

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	100x100x250	1







KAMI

VAL12 1105E WS30
VAL12 1105E WS40
VAL12 1105E WS60

Wall Mounted Up&Down Luminaires




Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
5W	450	90	3000 4000 6000	65x65x90	1




LEMI

VAL12 3112F WS30
VAL12 3112F WS40
VAL12 3112F WS60

Decorative Wall Mounted Luminaires




Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	960	80	3000 4000 6000	320x90x30	1



ROU

VAL12 2208G WS30
VAL12 2208G WS40
VAL12 2208G WS60

Decorative Wall Mounted Luminaires




Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
8W	640	80	3000 4000 6000	180x180x40	1



SQOU

VAL12 2208H WS30
VAL12 2208H WS40
VAL12 2208H WS60

Decorative Wall Mounted Luminaires




Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
8W	640	80	3000 4000 6000	180x180x40	1



ELOU

VAL12 1610J WS30
VAL12 1610J WS40
VAL12 1610J WS60

Decorative Wall Mounted Luminaires



Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	800	80	3000 4000 6000	120x600x40	1






BELU

VAL12 2400K WS00

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	720	80	3000 4000 6000	250x440	1





BENU

VAL12 2400L WS00

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	720	80	3000 4000 6000	280x380	1




KUYE

VAL12 3200SA WS00

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	720	80	3000 4000 6000	280x250	1




KUPO

VAL12 3400SB WS00

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	720	80	3000 4000 6000	350x400	1





KUPA

VAL12 3400SC WS00

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	720	80	3000 4000 6000	280x380	1






IZAN

VAL12 2108T WG30
VAL12 2108T WG40
VAL12 2108T WG60

Trace Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
8W	640	80	3000 4000 6000	256x110x86	1





IZER

VAL12 2003U WS30
VAL12 2003U WS40
VAL12 2003U WS60

Trace Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	240	80	3000 4000 6000	185x40x45	1






IZKA

VAL12 1106V WS30
VAL12 1106V WS40
VAL12 1106V WS60

Trace Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	480	80	3000 4000 6000	85x85x50	1




IZYU

VAL12 1106Y WS30
VAL12 1106Y WS40
VAL12 1106Y WS60

Trace Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	480	80	3000 4000 6000	85x85x50	1




IZMI

VAL12 1003Z WG30
VAL12 1003Z WG40
VAL12 1003Z WG60

Trace Luminaires





























Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	240	80	3000 4000 6000	110x45x45	1



CONTENTS

13

WALLWASHER AND GROUND LUMINAIRES

 VALO	 VALO	 VALO	 RGB VALO	 RGB VALO
 VALRE	 VALRE	 VALRE	 RGB VALRE	 RGB VALRE
 GRON	 GRON	 GRON	 RGB GRON	 RGB GRON
 KENE	 KENE	 KENE	 RGB KENE	 RGB KENE
 TREA	 TRON	 TELIA	 TOI	 SEYA
 SETCA	 SETBA	 ZEMI		



VALO

VAL13 2006A UG30
VAL13 2006A UG40
VAL13 2006A UG60

Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	600	100	3000 4000 6000	54x190x125	1




VALO

VAL13 3009A UG30
VAL13 3009A UG40
VAL13 3009A UG60

Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	3000 4000 6000	54x270x125	1





VALO

VAL13 5018A UG30
VAL13 5018A UG40
VAL13 5018A UG60

Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	54x500x125	1





VALO

VAL13 6024A UG30
VAL13 6024A UG40
VAL13 6024A UG60

Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	54x650x125	1





VALO

VAL13 1036A UG30
VAL13 1036A UG40
VAL13 1036A UG60

Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	54x980x125	1





VALO

VAL13 2006A UGR0
VAL13 2006A UGG0
VAL13 2006A UGB0

Aluminum Body RGB Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	600	100	Red Green Blue	54x190x125	1




VALO

VAL13 3009A UGR0
VAL13 3009A UGG0
VAL13 3009A UGB0

Aluminum Body RGB Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	Red Green Blue	54x270x125	1




VALO

VAL13 5018A UGR0
VAL13 5018A UGG0
VAL13 5018A UGB0

Aluminum Body RGB Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	Red Green Blue	54x500x125	1




VALO

VAL13 6024A UGR0
VAL13 6024A UGG0
VAL13 6024A UGB0

Aluminum Body RGB Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	Red Green Blue	54x650x125	1





VALO

VAL13 1036A UGR0
VAL13 1036A UGG0
VAL13 1036A UGB0

Aluminum Body RGB Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	Red Green Blue	54x980x125	1






VALRE

VAL13 2006B UG30
VAL13 2006B UG40
VAL13 2006B UG60

Recessed Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	600	100	3000 4000 6000	90x240x67	1





VALRE

VAL13 3009B UG30
VAL13 3009B UG40
VAL13 3009B UG60

Recessed Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	3000 4000 6000	90x320x67	1





VALRE

VAL13 4012B UG30
VAL13 4012B UG40
VAL13 4012B UG60

Recessed Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	90x395x67	1





VALRE

VAL13 5018B UG30
VAL13 5018B UG40
VAL13 5018B UG60

Recessed Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	90x550x67	1





VALRE

VAL13 1036B UG30
VAL13 1036B UG40
VAL13 1036B UG60

Recessed Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	90x1030x67	1






GRON

VAL13 0601C UG30
VAL13 0601C UG40
VAL13 0601C UG60

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1W	100	100	3000 4000 6000	65x65x75	1




GRON

VAL13 1003C UG30
VAL13 1003C UG40
VAL13 1003C UG60

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	300	100	3000 4000 6000	100x100x90	1




GRON

VAL13 1509C UG30
VAL13 1509C UG40
VAL13 1509C UG60

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	3000 4000 6000	150x150x90	1




GRON

VAL13 2218C UG30
VAL13 2218C UG40
VAL13 2218C UG60

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	220x220x90	1




GRON

VAL13 2224C UG30
VAL13 2224C UG40
VAL13 2224C UG60

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	220x220x90	1






GRON

VAL13 0601C UGR0
VAL13 0601C UGG0
VAL13 0601C UGB0

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1W	100	100	Red Green Blue	65x65x75	1




GRON

VAL13 1003C UGR0
VAL13 1003C UGG0
VAL13 1003C UGB0

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	300	100	Red Green Blue	100x100x90	1




GRON

VAL13 1509C UGR0
VAL13 1509C UGG0
VAL13 1509C UGB0

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	Red Green Blue	150x150x90	1




GRON

VAL13 2218C UGR0
VAL13 2218C UGG0
VAL13 2218C UGB0

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	Red Green Blue	220x220x90	1




GRON

VAL13 2224C UGR0
VAL13 2224C UGG0
VAL13 2224C UGB0

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	Red Green Blue	220x220x90	1






KENE

VAL13 1103D UG30
VAL13 1103D UG40
VAL13 1103D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	300	100	3000 4000 6000	110x110x75	1




KENE

VAL13 1206D UG30
VAL13 1206D UG40
VAL13 1206D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	600	100	3000 4000 6000	125x125x122	1




KENE

VAL13 1209D UG30
VAL13 1209D UG40
VAL13 1209D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	3000 4000 6000	125x125x122	1




KENE

VAL13 1512D UG30
VAL13 1512D UG40
VAL13 1512D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	155x155x170	1




KENE

VAL13 1818D UG30
VAL13 1818D UG40
VAL13 1818D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	185x185x175	1






KENE

VAL13 2324D UG30
VAL13 2324D UG40
VAL13 2324D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	235x235x210	1




KENE

VAL13 2336D UG30
VAL13 2336D UG40
VAL13 2336D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	235x235x210	1




TREA

VAL13 1010E US30
VAL13 1010E US40
VAL13 1010E US60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	60x120x30	1




TRON

VAL13 2015F UG30
VAL13 2015F UG40
VAL13 2015F UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
15W	1500	100	3000 4000 6000	93x198x40	1




TELIA

VAL13 1010G UG30
VAL13 1010G UG40
VAL13 1010G UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	800	80	3000 4000 6000	220x220x83	1






TOI

VAL13 2005H UB30
VAL13 2005H UB40
VAL13 2005H UB60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
5W	450	90	3000 4000 6000	250x250x250	1




SEYA

VAL13 2012J US30
VAL13 2012J US40
VAL13 2012J US60

Garden Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	960	80	3000 4000 6000	160x160x130	1





SETCA

VAL13 2010K US30
VAL13 2010K US40
VAL13 2010K US60

Garden Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	800	80	3000 4000 6000	250x250x150	1





SETBA

VAL13 2010L US30
VAL13 2010L US40
VAL13 2010L US60

Garden Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	800	80	3000 4000 6000	230x230x250	1




ZEMI

VAL13 1003M UG30
VAL13 1003M UG40
VAL13 1003M UG60

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	240	80	3000 4000 6000	60x60x64	1



CONTENTS

14

STREET & FLOOD LIGHT



RETES



RETES



RETES



STACA



STACA



CONRA



CONRA



CONTA



URUN



URUN



TABLA



TABLA



TABLA



TABLA



PROCA



PROCA



FLOPO



FLOPO



FLOPO



FLOPO



MODU



MODU



MODU



MODU



MODU



FLON



FLON



FLON



FLON



FLON




RETES

VST14 3645A UG30
VST14 3645A UG40
VST14 3645A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
45W	4500	100	3000 4000 6000	300x640x108	1




RETES

VST14 3660A UG30
VST14 3660A UG40
VST14 3660A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	300x640x108	1




RETES

VST14 3680A UG30
VST14 3680A UG40
VST14 3680A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	8000	100	3000 4000 6000	300x640x108	1




RETES

VST14 3690A UG30
VST14 3690A UG40
VST14 3690A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
90W	9000	100	3000 4000 6000	300x640x108	1




RETES

VST14 3610A UG30
VST14 3610A UG40
VST14 3610A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	300x640x108	1






STACA

VST14 2560B UG30
VST14 2560B UG40
VST14 2560B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7500	125	3000 4000 6000	230x585x60	1




STACA

VST14 2580B UG30
VST14 2580B UG40
VST14 2580B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	10000	125	3000 4000 6000	230x585x60	1




STACA

VST14 2510B UG30
VST14 2510B UG40
VST14 2510B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12500	125	3000 4000 6000	230x585x60	1




STACA

VST14 2512B UG30
VST14 2512B UG40
VST14 2512B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	15000	125	3000 4000 6000	230x585x60	1




STACA

VST14 2514B UG30
VST14 2514B UG40
VST14 2514B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
140W	17500	125	3000 4000 6000	230x585x60	1






CONRA

VST14 2450C UG30
VST14 2450C UG40
VST14 2450C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	6250	125	3000 4000 6000	182x436x98	1




CONRA

VST14 3580C UG30
VST14 3580C UG40
VST14 3580C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	10000	125	3000 4000 6000	282x516x77	1




CONRA

VST14 3514C UG30
VST14 3514C UG40
VST14 3514C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
140W	17500	125	3000 4000 6000	282x516x77	1




CONRA

VST14 4618C UG30
VST14 4618C UG40
VST14 4618C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
180W	22500	125	3000 4000 6000	310x660x105	1




CONRA

VST14 4620C UG30
VST14 4620C UG40
VST14 4620C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	25000	125	3000 4000 6000	310x660x105	1






URUN

VST14 2560D UG30
VST14 2560D UG40
VST14 2560D UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7500	125	3000 4000 6000	200x520x80	1




URUN

VST14 2580D UG30
VST14 2580D UG40
VST14 2580D UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	10000	125	3000 4000 6000	200x520x80	1




URUN

VST14 3610C UG30
VST14 3610C UG40
VST14 3610C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12500	125	3000 4000 6000	200x630x80	1




URUN

VST14 3612D UG30
VST14 3612D UG40
VST14 3612D UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	15000	125	3000 4000 6000	200x630x80	1




URUN

VST14 3615D UG30
VST14 3615D UG40
VST14 3615D UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	18750	125	3000 4000 6000	200x630x80	1







TABLA

VST14 2150E US30
VST14 2150E US40
VST14 2150E US60

Onboard Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	5000	100	3000 4000 6000	206x160x30	1




TABLA

VST14 2210E US30
VST14 2210E US40
VST14 2210E US60

Onboard Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	270x210x30	1





TABLA

VST14 2315E US30
VST14 2315E US40
VST14 2315E US60

Onboard Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	15000	100	3000 4000 6000	330x250x30	1





TABLA

VST14 2420E US30
VST14 2420E US40
VST14 2420E US60

Onboard Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	20000	100	3000 4000 6000	370x270x30	1







PROCA

VST14 3360F US30
VST14 3360F US40
VST14 3360F US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7500	125	3000 4000 6000	277x330x65	1




PROCA

VST14 3310F US30
VST14 3310F US40
VST14 3310F US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12500	125	3000 4000 6000	277x330x65	1





PROCA

VST14 4415F US30
VST14 4415F US40
VST14 4415F US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	18750	125	3000 4000 6000	420x379x65	1





PROCA

VST14 4420F US30
VST14 4420F US40
VST14 4420F US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	25000	125	3000 4000 6000	420x379x65	1






FLOPO

VST14 2360G UG30
VST14 2360G UG40
VST14 2360G UG60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7500	125	3000 4000 6000	230x360x75	1




FLOPO

VST14 2410G UG30
VST14 2410G UG40
VST14 2410G UG60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12500	125	3000 4000 6000	225x400x80	1




FLOPO

VST14 2515G UG30
VST14 2515G UG40
VST14 2515G UG60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	18750	125	3000 4000 6000	280x450x80	1




FLOPO

VST14 2620G UG30
VST14 2620G UG40
VST14 2620G UG60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	25000	125	3000 4000 6000	330x505x90	1






MODU

VST14 1140H US30
VST14 1140H US40
VST14 1140H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4800	120	3000 4000 6000	280x120x95	1




MODU

VST14 1280H US30
VST14 1280H US40
VST14 1280H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	9600	120	3000 4000 6000	280x180x95	1




MODU

VST14 2216H US30
VST14 2216H US40
VST14 2216H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
160W	19200	120	3000 4000 6000	580x180x95	1




MODU

VST14 2324H US30
VST14 2324H US40
VST14 2324H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
240W	28800	120	3000 4000 6000	580x280x95	1




MODU

VST14 4116H US30
VST14 4116H US40
VST14 4116H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
160W	19200	120	3000 4000 6000	1180x120x95	1






FLON

VST14 2250J US30
VST14 2250J US40
VST14 2250J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	6000	120	3000 4000 6000	227x240x50	1




FLON

VST14 3310J US30
VST14 3310J US40
VST14 3310J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12000	120	3000 4000 6000	280x290x50	1





FLON

VST14 4415J US30
VST14 4415J US40
VST14 4415J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	18000	120	3000 4000 6000	320x330x50	1




FLON

VST14 5520J US30
VST14 5520J US40
VST14 5520J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	24000	120	3000 4000 6000	350x360x50	1





FLON


VST14 4830J US30
VST14 4830J US40
VST14 4830J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
300W	36000	120	3000 4000 6000	640x320x50	1



VELAR
LIGHTING



CONTACT
www.velarlighting.com
info@velarlighting.com

2024
**BRIEF
CATALOG**

