


























CONTENTS

04

RECESSED LUMINAIRES

 ARON	 NARO	 NARO	 NARO	 NARO
 ERAN	 ERAN	 MENDA	 TULA	 ELNA
 MERA	 LIMERA	 LIMERA	 ARBA	 YUVO
 SEBA	 SEBA	 SEBA	 SEBA	 SERAN
 HOSTA	 HOSTA	 HOSTA	 HOSTA	




ARON


VRE04 6636A AB30
VRE04 6636A AB40
VRE04 6636A AB60

600X600mm Recessed Backlight Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	595x595x35	10



Cutout: 580x580




NARO


VRE04 6636B AB30
VRE04 6636B AB40
VRE04 6636B AB60

600X600mm Recessed Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3960	110	3000 4000 6000	595x595x60	6



Cutout: 580x580




NARO

VRE04 3320B AB30
VRE04 3320B AB40
VRE04 3320B AB60

300X300mm Recessed Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2200	110	3000 4000 6000	295x295x45	10



Cutout: 280x280




NARO

VRE04 3620B AB30
VRE04 3620B AB40
VRE04 3620B AB60

300X600mm Recessed Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2200	110	3000 4000 6000	295x595x60	8



Cutout: 280x580




NARO

VRE04 3136B AB30
VRE04 3136B AB40
VRE04 3136B AB60

300X1200mm Recessed Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3960	110	3000 4000 6000	295x1195x60	4



Cutout: 280x1180






ERAN

VRE04 6636C AB30
VRE04 6636C AB40
VRE04 6636C AB60

600X600mm Indirect Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	595x595x60	5



Cutout: 580x580




ERAN

VRE04 3136C AB30
VRE04 3136C AB40
VRE04 3136C AB60

300X1200mm Recessed Indirect Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	295x1195x60	4



Cutout: 280x1180




MENDA

VRE04 6636D AB30
VRE04 6636D AB40
VRE04 6636D AB60

600X600mm Linear Indirect Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	595x595x60	4



Cutout: 580x580




TULA

VRE04 6636E AB30
VRE04 6636E AB40
VRE04 6636E AB60

600X600mm Recessed Two Line Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	595x595x60	6



Cutout: 580x580




ELNA

VRE04 6636F AB30
VRE04 6636F AB40
VRE04 6636F AB60


600X600mm Recessed Design Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	595x595x60	6



Cutout: 580x580






MERA

VRE04 6636G AB30
VRE04 6636G AB40
VRE04 6636G AB60

600X600mm Recessed Backlight Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	4320	120	3000 4000 6000	595x595x35	6



Cutout: 580x580




LIMERA

VRE04 6636H AB30
VRE04 6636H AB40
VRE04 6636H AB60

600X600mm Recessed Indirect Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	4320	120	3000 4000 6000	595x595x60	4



Cutout: 580x580




LIMERA

VRE04 3136H AB30
VRE04 3136H AB40
VRE04 3136H AB60

300X1200mm Recessed Backlight Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	4320	120	3000 4000 6000	295x1195x30	4



Cutout: 280x1180




ARBA

VRE04 6636K AB30
VRE04 6636K AB40
VRE04 6636K AB60

600X600mm Recessed Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	595x595x60	6



Cutout: 580x580




YUVO

VRE04 6660L AB30
VRE04 6660L AB40
VRE04 6660L AB60


600mm Recessed Round Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	600x600x60	1



Cutout: Ø580






SEBA


VRE04 6636M AB30
VRE04 6636M AB40
VRE04 6636M AB60

600X600mm Recessed Sterile Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	595x595x60	6



Cutout: 580x580




SEBA

VRE04 3320M AB30
VRE04 3320M AB40
VRE04 3320M AB60

300X300mm Recessed Sterile Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	295x295x45	10



Cutout: 280x280




SEBA


VRE04 3620M AB30
VRE04 3620M AB40
VRE04 3620M AB60

300X600mm Recessed Sterile Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	295x595x60	8



Cutout: 280x580




SEBA

VRE04 3136M AB30
VRE04 3136M AB40
VRE04 3136M AB60

300X1200mm Recessed Sterile Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	295x1195x60	4



Cutout: 280x1180




SERAN

VRE04 6636N AB30
VRE04 6636N AB40
VRE04 6636N AB60

600X600mm Recessed Sterile Indirect Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	595x595x90	4



Cutout: 580x580






HOSTA


VRE04 6636P AB30
VRE04 6636P AB40
VRE04 6636P AB60

600X600mm Sterile Luminaires with Tempered Glass

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	595x595x60	4



Cutout: 580x580




HOSTA

VRE04 3320P AB30
VRE04 3320P AB40
VRE04 3320P AB60

300X300mm Sterile Luminaires with Tempered Glass

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	295x295x45	8



Cutout: 280x280




HOSTA

VRE04 3620P AB30
VRE04 3620P AB40
VRE04 3620P AB60

300X600mm Sterile Luminaires with Tempered Glass

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	295x595x60	6



Cutout: 280x580




HOSTA

VRE04 3136P AB30
VRE04 3136P AB40
VRE04 3136P AB60

300X1200mm Sterile Luminaires with Tempered Glass

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	295x1195x60	4



Cutout: 280x1180

