

VELAR
LIGHTING



2024
BRIEF
CATALOG

MEANING OF CODES

PRODUCT
TYPE

PRODUCT
DIMENSION

PRODUCT
COLOR

PRODUCT
CODE

EMG.KIT
OPTION

AR-CHITECTURAL
LI-NEAR
DO-WNLIGHT

66-600X600mm
33-300X300mm
31-300X1200mm

A
B
C

S-Black
B-White
G-Grey

0-W.out
1-Hour
3-Hour

V A R 01

6 6 6 0 A

S S 4 0

VELAR

01
02
03

20W
36W
60W

A -Recessed
S-Recessed

3000K
4000K
6000K

BRAND
CODE

PRODUCT
CATEGORY

PRODUCT
WATTAGE


CEILING
TYPE

PRODUCT
KELVIN

CONTENTS

01

ARCHITECTURAL LINEAR LUMINAIRES






SPACE

VAR01 6660A SS30
VAR01 6660A SS40
VAR01 6660A SS60

600mm Pendant Architectural Ring Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	4800	80	3000 4000 6000	600x600x80	1




SPACE

VAR01 9910A SS30
VAR01 9910A SS40
VAR01 9910A SS60

900mm Pendant Architectural Ring Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	8000	80	3000 4000 6000	900x900x80	1




SPACE

VAR01 1212A SS30
VAR01 1212A SS40
VAR01 1212A SS60

1200mm Pendant Architectural Ring Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	9600	80	3000 4000 6000	1200x1200x80	1




SPADE

VAR01 6660B SS30
VAR01 6660B SS40
VAR01 6660B SS60

600mm Pendant Architectural Round Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	600x600x80	1




SPADE

VAR01 9910B SS30
VAR01 9910B SS40
VAR01 9910B SS60

900mm Pendant Architectural Round Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	900x900x80	1






SPADE

VAR01 1212B SS30
VAR01 1212B SS40
VAR01 1212B SS60

1200mm Pendant Architectural Round Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	12000	100	3000 4000 6000	1200x1200x80	1





KANTO

VAR01 6660C SS30
VAR01 6660C SS40
VAR01 6660C SS60

600mm Pendant Architectural Square Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	4800	80	3000 4000 6000	600x600x80	1





KANTO

VAR01 9910C SS30
VAR01 9910C SS40
VAR01 9910C SS60

900mm Pendant Architectural Square Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	8000	80	3000 4000 6000	900x900x80	1




KANTO

VAR01 1212C SS30
VAR01 1212C SS40
VAR01 1212C SS60

1200mm Pendant Architectural Square Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	9600	80	3000 4000 6000	1200x1200x80	1




KANDE

VAR01 6660D SS30
VAR01 6660D SS40
VAR01 6660D SS60

600mm Pendant Architectural Square Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	600x600x80	1







KANDE

VAR01 9910D SS30
VAR01 9910D SS40
VAR01 9910D SS60

900mm Pendant Architectural Round Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	900x900x80	1





KANDE

VAR01 1212D SS30
VAR01 1212D SS40
VAR01 1212D SS60

1200mm Pendant Architectural Square Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	12000	100	3000 4000 6000	1200x1200x80	1




RAKA

VAR01 6660E SS30
VAR01 6660E SS40
VAR01 6660E SS60

600mm Pendant Architectural Square Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	4800	80	3000 4000 6000	600x600x80	1





RAKA

VAR01 9910E SS30
VAR01 9910E SS40
VAR01 9910E SS60

900mm Pendant Architectural Square Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	8000	80	3000 4000 6000	900x900x80	1





RAKA

VAR01 1212E SS30
VAR01 1212E SS40
VAR01 1212E SS60

1200mm Pendant Architectural Square Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	9600	80	3000 4000 6000	1200x1200x80	1






UNTA

VAR01 6660F SS30
VAR01 6660F SS40
VAR01 6660F SS60

600mm Pendant Architectural Triangle Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	4800	80	3000 4000 6000	600x600x80	1





UNTA

VAR01 9910F SS30
VAR01 9910F SS40
VAR01 9910F SS60

900mm Pendant Architectural Triangle Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	8000	80	3000 4000 6000	900x900x80	1




UNTA

VAR01 1212F SS30
VAR01 1212F SS40
VAR01 1212F SS60

1200mm Pendant Architectural Triangle Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	9600	80	3000 4000 6000	1200x1200x80	1




HEXA

VAR01 6660G SS30
VAR01 6660G SS40
VAR01 6660G SS60

600mm Pendant Architectural Hexagon Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	4800	80	3000 4000 6000	600x600x80	1




HEXA

VAR01 9910G SS30
VAR01 9910G SS40
VAR01 9910G SS60

900mm Pendant Architectural Hexagon Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	8000	80	3000 4000 6000	900x900x80	1






HEXA

VAR01 1212G SS30
VAR01 1212G SS40
VAR01 1212G SS60

1200mm Pendant Architectural Hexagon Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	9600	80	3000 4000 6000	1200x1200x80	1




HEXDO

VAR01 6660H SS30
VAR01 6660H SS40
VAR01 6660H SS60

600mm Pendant Architectural Hexagon Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	600x600x80	1





HEXDO

VAR01 9910H SS30
VAR01 9910H SS40
VAR01 9910H SS60

900mm Pendant Architectural Hexagon Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	900x900x80	1




HEXDO

VAR01 1212H SS30
VAR01 1212H SS40
VAR01 1212H SS60

1200mm Pendant Architectural Hexagon Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	12000	100	3000 4000 6000	1200x1200x80	1




DAGA

VAR01 3980J SS30
VAR01 3980J SS40
VAR01 3980J SS60

300x900mm Pendant Architectural Rectangular Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	6400	80	3000 4000 6000	300x900x80	1








DAGA

VAR01 6112J SS30
VAR01 6112J SS40
VAR01 6112J SS60

600X1200mm Pendant Architectural Rectangular Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	9600	80	3000 4000 6000	600x1200x80	1




DAGA

VAR01 8116J SS30
VAR01 8116J SS40
VAR01 8116J SS60

800X1600mm Pendant Architectural Rectangular Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
160W	12800	80	3000 4000 6000	800x1600x80	1




RETA

VAR01 2840K SS30
VAR01 2840K SS40
VAR01 2840K SS60

200X800mm Pendant Architectural Rectangular Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4000	100	3000 4000 6000	200x800x80	1





RETA

VAR01 3950K SS30
VAR01 3950K SS40
VAR01 3950K SS60

300X900mm Pendant Architectural Rectangular Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	5000	100	3000 4000 6000	300x900x80	1





RETA

VAR01 4180K SS30
VAR01 4180K SS40
VAR01 4180K SS60

400X1200mm Pendant Architectural Rectangular Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	8000	100	3000 4000 6000	400x1200x80	1







LUCA

VAR01 3955L SS30
VAR01 3955L SS40
VAR01 3955L SS60

300X900mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
55W	4400	80	3000 4000 6000	300x900x80	1






LUCA

VAR01 3180L SS30
VAR01 3180L SS40
VAR01 3180L SS60

300X1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	6400	80	3000 4000 6000	300x1200x80	1




LUCA

VAR01 6190L SS30
VAR01 6190L SS40
VAR01 6190L SS60

600X1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
90W	7200	80	3000 4000 6000	600x1200x80	1



LUDO

VAR01 3950M SS30
VAR01 3950M SS40
VAR01 3950M SS60

300X900mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	5000	100	3000 4000 6000	300x900x80	1



LUDO

VAR01 4180M SS30
VAR01 4180M SS40
VAR01 4180M SS60

400X1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	8000	100	3000 4000 6000	400x1200x80	1







LUDO

VAR01 6114M SS30
VAR01 6114M SS40
VAR01 6114M SS60

600x1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
140W	14000	100	3000 4000 6000	600x1200x80	1




SEVA

VAR01 1250N SS30
VAR01 1250N SS40
VAR01 1250N SS60

1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	4000	80	3000 4000 6000	80x1200x80	1





SEVA

VAR01 1560N SS30
VAR01 1560N SS40
VAR01 1560N SS60

1500mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	4800	80	3000 4000 6000	80x1500x80	1




SEVA

VAR01 1870N SS30
VAR01 1870N SS40
VAR01 1870N SS60

1800mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
70W	5600	80	3000 4000 6000	80x1800x80	1





YULA

VAR01 4440P SS30
VAR01 4440P SS40
VAR01 4440P SS60

450mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	3200	80	3000 4000 6000	450x450x80	1







YULA

VAR01 6655P SS30
VAR01 6655P SS40
VAR01 6655P SS60

600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
55W	4400	80	3000 4000 6000	600x600x80	1




YULA

VAR01 9980P SS30
VAR01 9980P SS40
VAR01 9980P SS60

900mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	6400	80	3000 4000 6000	900x900x80	1




LAKA

VAR01 6636R SS30
VAR01 6636R SS40
VAR01 6636R SS60

600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	600x600x80	1




LAKA

VAR01 9950R SS30
VAR01 9950R SS40
VAR01 9950R SS60

900mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	4000	80	3000 4000 6000	900x900x80	1




LAKA

VAR01 1175R SS30
VAR01 1175R SS40
VAR01 1175R SS60

1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
75W	6000	80	3000 4000 6000	1200x1200x80	1







URSA

VAR01 2436S SS30
VAR01 2436S SS40
VAR01 2436S SS60

225X450mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	225x450x80	1





URSA

VAR01 3655S SS30
VAR01 3655S SS40
VAR01 3655S SS60

300X600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
55W	4400	80	3000 4000 6000	300x600x80	1





URSA

VAR01 4975S SS30
VAR01 4975S SS40
VAR01 4975S SS60

450X900mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
75W	6000	80	3000 4000 6000	450x900x80	1




LUTA

VAR01 6625T SS30
VAR01 6625T SS40
VAR01 6625T SS60

600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
25W	2000	80	3000 4000 6000	600x600x22	1




LUTA

VAR01 8830T SS30
VAR01 8830T SS40
VAR01 8830T SS60

800mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	2400	80	3000 4000 6000	800x800x22	1







LUTA

VAR01 1136T SS30
VAR01 1136T SS40
VAR01 1136T SS60

1000mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	1000x1000x22	1





LUSA

VAR01 3318TA SS30
VAR01 3318TA SS40
VAR01 3318TA SS60

300mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1440	80	3000 4000 6000	300x300x22	1





LUSA

VAR01 4424TA SS30
VAR01 4424TA SS40
VAR01 4424TA SS60

400mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	1920	80	3000 4000 6000	400x400x22	1




LUSA

VAR01 6636TA SS30
VAR01 6636TA SS40
VAR01 6636TA SS60

600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	600x600x22	1




ELIA

VAR01 6625U SS30
VAR01 6625U SS40
VAR01 6625U SS60

600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
25W	2000	80	3000 4000 6000	600x600x35	1






ELIA

VAR01 8830U SS30
VAR01 8830U SS40
VAR01 8830U SS60

800mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	2400	80	3000 4000 6000	800x800x35	1





ELIA

VAR01 1136U SS30
VAR01 1136U SS40
VAR01 1136U SS60

1000mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	1000x1000x35	1





ESTA

VAR01 3312UA SS30
VAR01 3312UA SS40
VAR01 3312UA SS60

300mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	960	80	3000 4000 6000	300x300x35	1




ESTA

VAR01 4416UA SS30
VAR01 4416UA SS40
VAR01 4416UA SS60

400mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
16W	1280	80	3000 4000 6000	400x400x35	1





ESTA

VAR01 6620UA SS30
VAR01 6620UA SS40
VAR01 6620UA SS60

600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	600x600x35	1






ALISA

VAR01 2120V SS30
VAR01 2120V SS40
VAR01 2120V SS60

1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	20x1200x35	1






ARTE

VAR01 1120Y SS30
VAR01 1120Y SS40
VAR01 1120Y SS60

1000mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	10x1000x35	1






LAVA

VAR01 1112Z SS30
VAR01 1112Z SS40
VAR01 1112Z SS60

1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	960	80	3000 4000 6000	10x1200x35	1





ADRE

VAR01 8810XA SS30
VAR01 8810XA SS40
VAR01 8810XA SS60

800X800mm Pendant Architectural Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	11000	110	3000 4000 6000	800x800x70	1





APRE

VAR01 1111XB SS30
VAR01 1111XB SS40
VAR01 1111XB SS60

1000x1000mm Pendant Architectural Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
110W	12100	110	3000 4000 6000	1000x1000x70	1







BARE

VAR01 6110XC SS30
VAR01 6110XC SS40
VAR01 6110XC SS60

600x1000mm Pendant Architectural Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	11000	110	3000 4000 6000	600x1000x70	1





BETA

VAR01 6114XD SS30
VAR01 6114XD SS40
VAR01 6114XD SS60

600x1000mm Pendant Architectural Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
140W	15400	110	3000 4000 6000	600x1000x70	1





NARE

VAR01 8885XE SS30
VAR01 8885XE SS40
VAR01 8885XE SS60

800x800mm Pendant Architectural Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
85W	9350	110	3000 4000 6000	800x800x70	1





ZEGO

VAR01 3940XF SS30
VAR01 3940XF SS40
VAR01 3940XF SS60

300x900mm Pendant Architectural Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4400	110	3000 4000 6000	300x900x70	1




ZIGNA

VAR01 3195XG SS30
VAR01 3195XG SS40
VAR01 3195XG SS60

300x1500mm Pendant Architectural Luminaires








Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
95W	10450	110	3000 4000 6000	300x1500x70	1




CONTENTS

02

LINEAR LIGHTING






LINER


VLI02 6020A AS30
VLI02 6020A AS40
VLI02 6020A AS60

600mm Linear Thin Recessed Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	59x602x60	20



Cutout: 48x583




LINER


VLI02 1236A AS30
VLI02 1236A AS40
VLI02 1236A AS60

1200mm Linear Thin Recessed Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	59x1177x60	10



Cutout: 48x1153




LIKER


VLI02 6020B AS30
VLI02 6020B AS40
VLI02 6020B AS60

600mm Linear Thick Recessed Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	86x602x75	20



Cutout: 75x583




LIKER

VLI02 1236B AS30
VLI02 1236B AS40
VLI02 1236B AS60

1200mm Linear Thick Recessed Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	86x1172x75	10



Cutout: 75x1153





LINE

VLI02 6020C SS30
VLI02 6020C SS40
VLI02 6020C SS60

600mm Linear Thin Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	44x585x70	20






LINE

VLI02 1236C SS30
VLI02 1236C SS40
VLI02 1236C SS60

1200mm Linear Thin Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	44x1155x70	10




LIKA

VLI02 6020D SS30
VLI02 6020D SS40
VLI02 6020D SS60

600mm Linear Thick Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	70x585x86	20




LIKA

VLI02 1236D SS30
VLI02 1236D SS40
VLI02 1236D SS60

1200mm Linear Thick Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	70x1155x86	10




LINDE

VLI02 6020E SS30
VLI02 6020E SS40
VLI02 6020E SS60

600mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	44x600x70	20





LINDE

VLI02 1236E SS30
VLI02 1236E SS40
VLI02 1236E SS60

1200mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	44x1200x70	10







LAYO

VLI02 6636F SS30
VLI02 6636F SS40
VLI02 6636F SS60

600X600mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	600x600x80	1





URTO

VLI02 3150G SS30
VLI02 3150G SS40
VLI02 3150G SS60

300X1000mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	5000	100	3000 4000 6000	300x1000x80	1




MERIS

VLI02 1240H SS30
VLI02 1240H SS40
VLI02 1240H SS60

1200mm Linear Suspended Luminaires With Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	5200	130	3000 4000 6000	45x1200x87	10




LINDO

VLI02 1240J SB30
VLI02 1240J SB40
VLI02 1240J SB60

1200mm Linear Suspended Luminaires With Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	5200	130	3000 4000 6000	45x1200x87	10




MERA

VLI02 1240K SB30
VLI02 1240K SB40
VLI02 1240K SB60

300x1200mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	5200	130	3000 4000 6000	300x1200x60	4








ETRA

VLI02 3136L SB30
VLI02 3136L SB40
VLI02 3136L SB60

300x1200mm Linear Suspended Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	300x1200x60	4




TUBE

VLI02 1236M SB30
VLI02 1236M SB40
VLI02 1236M SB60

1200mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	80x1200x80	4





RALIN

VLI02 1236N SS30
VLI02 1236N SS40
VLI02 1236N SS60

1200mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	80x1200x75	4





x 25

MESA

VLI02 6025P AS30
VLI02 6025P AS40
VLI02 6025P AS60

660mm Linear Recessed Luminaires With Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
25W	3000	120	3000 4000 6000	50x660x65	20




x 46

MESA

VLI02 1245P AS30
VLI02 1245P AS40
VLI02 1245P AS60

1200mm Linear Recessed Luminaires With Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
45W	5400	120	3000 4000 6000	50x1200x65	10







MEREN

VLI02 6023J AS30
VLI02 6023J AS40
VLI02 6023J AS60

660mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
23W	2760	120	3000 4000 6000	50x660x65	20





MEREN

VLI02 1240J AS30
VLI02 1240J AS40
VLI02 1240J AS60

1200mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4800	120	3000 4000 6000	50x1200x65	10





LEGA

VLI02 6025K SS30
VLI02 6025K SS40
VLI02 6025K SS60

660mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
25W	3000	120	3000 4000 6000	35x660x66	20





LEGA

VLI02 1245K SS30
VLI02 1245K SS40
VLI02 1245K SS60

1200mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
45W	5400	120	3000 4000 6000	35x1200x66	10






LERAN

VLI02 6023L SS30
VLI02 6023L SS40
VLI02 6023L SS60

660mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
23W	2760	120	3000 4000 6000	35x660x66	20






LERAN

VLI02 1240L SS30
VLI02 1240L SS40
VLI02 1240L SS60

1200mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4800	120	3000 4000 6000	35x1200x66	10




TULA

VLI02 6023M SS30
VLI02 6023M SS40
VLI02 6023M SS60

660mm Linear Suspended Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
23W	2760	120	3000 4000 6000	62x660x57	20




TULA

VLI02 1245M SS30
VLI02 1245M SS40
VLI02 1245M SS60

1200mm Linear Suspended Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
45W	5400	120	3000 4000 6000	62x1200x57	10




LORI

VLI02 6023N SS30
VLI02 6023N SS40
VLI02 6023N SS60

660mm Linear Suspended or Surface Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
23W	2760	120	3000 4000 6000	35x660x66	20




LORI

VLI02 1245N SS30
VLI02 1245N SS40
VLI02 1245N SS60

1200mm Linear Suspended or Surface Luminaires


Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
45W	5400	120	3000 4000 6000	35x1200x66	10



CONTENTS

03

DOWNLIGHTS AND SPOTLIGHTS






NUDO

VSP03 3008A AB30
VSP03 3008A AB40
VSP03 3008A AB60

3inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
8W	800	100	3000 4000 6000	95x95x30	40




NUDO

VSP03 4012A AB30
VSP03 4012A AB40
VSP03 4012A AB60

4inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	120x120x30	40




NUDO

VSP03 5016A AB30
VSP03 5016A AB40
VSP03 5016A AB60

5inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
16W	1600	100	3000 4000 6000	145x145x30	28




NUDO

VSP03 6024A AB30
VSP03 6024A AB40
VSP03 6024A AB60

6inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	180x180x30	28




NUDO

VSP03 8030A AB30
VSP03 8030A AB40
VSP03 8030A AB60

8inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	220x220x30	20






IP40 / IP65

ALKA

VSP03 2508B AB30
VSP03 2508B AB40
VSP03 2508B AB60

2.5inc Recessed Die Cast Body Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
8W	800	100	3000 4000 6000	93x93x41	40




IP40 / IP65

ALKA

VSP03 3012B AB30
VSP03 3012B AB40
VSP03 3012B AB60

3inc Recessed Die Cast Body Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	118x118x44	40




IP40 / IP65

ALKA

VSP03 4016B AB30
VSP03 4016B AB40
VSP03 4016B AB60

4inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
16W	1600	100	3000 4000 6000	147x147x49	28




IP40 / IP65

ALKA

VSP03 5024B AB30
VSP03 5024B AB40
VSP03 5024B AB60

5inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	177x177x54	28




IP40 / IP65

ALKA

VSP03 6030B AB30
VSP03 6030B AB40
VSP03 6030B AB60

6inc Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	228x228x56	20






NUYA

VSP03 4016C SB30
VSP03 4016C SB40
VSP03 4016C SB60

4inc Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
16W	1600	100	3000 4000 6000	150x150x140	8




NUYA

VSP03 5020C SB30
VSP03 5020C SB40
VSP03 5020C SB60

5inc Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	170x170x140	6



NUYA

VSP03 6024C SB30
VSP03 6024C SB40
VSP03 6024C SB60

6inc Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	186x186x140	4




NUKA

VSP03 4016D SB30
VSP03 4016D SB40
VSP03 4016D SB60

4inc Surface Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
16W	1600	100	3000 4000 6000	150x150x140	8





NUKA

VSP03 5020D SB30
VSP03 5020D SB40
VSP03 5020D SB60

5inc Surface Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	170x170x140	6






NUKA

VSP03 6024D SB30
VSP03 6024D SB40
VSP03 6024D SB60

6inc Surface Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	185x185x140	4




CORA

VSP03 3009E AB30
VSP03 3009E AB40
VSP03 3009E AB60

3inc COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	3000 4000 6000	110x110x50	40




CORA

VSP03 4012E AB30
VSP03 4012E AB40
VSP03 4012E AB60

4inc COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	130x130x50	40





CORA

VSP03 5018E AB30
VSP03 5018E AB40
VSP03 5018E AB60

5inc COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	150x150x50	30




CORA

VSP03 6025E AB30
VSP03 6025E AB40
VSP03 6025E AB60

6inc COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
25W	2500	100	3000 4000 6000	200x200x50	20






CORA

VSP03 8032E AB30
VSP03 8032E AB40
VSP03 8032E AB60

8inc COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
32W	3200	100	3000 4000 6000	240x240x50	20




COSA

VSP03 4012F SB30
VSP03 4012F SB40
VSP03 4012F SB60

COB LED Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	132x132x100	20




COSA

VSP03 5018F SB30
VSP03 5018F SB40
VSP03 5018F SB60

COB LED Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	152x152x100	15




COSA

VSP03 6025F SB30
VSP03 6025F SB40
VSP03 6025F SB60

COB LED Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
25W	2500	100	3000 4000 6000	202x202x100	10




COSA

VSP03 8032F SB30
VSP03 8032F SB40
VSP03 8032F SB60

COB LED Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
32W	3200	100	3000 4000 6000	242x242x100	8






TIRA

VSP03 5020G AB30
VSP03 5020G AB40
VSP03 5020G AB60

COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	160x160x50	20





TIRA

VSP03 5030G AB30
VSP03 5030G AB40
VSP03 5030G AB60

COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	160x160x50	20





TIKA

VSP03 2230GK AB30
VSP03 2230GK AB40
VSP03 2230GK AB60

COB LED Recessed Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	160x160x50	20





TIKA

VSP03 2460GK AB30
VSP03 2460GK AB40
VSP03 2460GK AB60

COB LED Recessed Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	310x160x50	10





TIKA

VSP03 2690GK AB30
VSP03 2690GK AB40
VSP03 2690GK AB60

COB LED Recessed Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
90W	9000	100	3000 4000 6000	460x160x50	4







ARTA

VSP03 5020H AB30
VSP03 5020H AB40
VSP03 5020H AB60

COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	170x170x50	20




ARTA

VSP03 5030H AB30
VSP03 5030H AB40
VSP03 5030H AB60

COB LED Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	170x170x50	20




ARKA

VSP03 2230HA AB30
VSP03 2230HA AB40
VSP03 2230HA AB60

COB LED Recessed Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	170x170x50	20




ARKA

VSP03 2460HA AB30
VSP03 2460HA AB40
VSP03 2460HA AB60

COB LED Recessed Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	315x170x50	10




ARKA

VSP03 2690HA AB30
VSP03 2690HA AB40
VSP03 2690HA AB60

COB LED Recessed Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
90W	9000	100	3000 4000 6000	460x170x50	4






ARUN

VSP03 3010J AB30
VSP03 3010J AB40
VSP03 3010J AB60

Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	95x95x30	20




AREN

VSP03 1110K AB30
VSP03 1110K AB40
VSP03 1110K AB60

Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	95x95x30	20




SALA

VSP03 3010L AB30
VSP03 3010L AB40
VSP03 3010L AB60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	115x115x80	20




SALA

VSP03 5020L AB30
VSP03 5020L AB40
VSP03 5020L AB60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	185x185x80	10




MOVA

VSP03 5020M AS30
VSP03 5020M AS40
VSP03 5020M AS60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	186x186x152	10






CUBO

VSP03 2510N AB30
VSP03 2510N AB40
VSP03 2510N AB60

Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	80x80x50	20





CUDE

VSP03 2510P AB30
VSP03 2510P AB40
VSP03 2510P AB60

Recessed Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	95x95x50	20




MORI

VSP03 1110R AB30
VSP03 1110R AB40
VSP03 1110R AB60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	95x95x50	20




MORI

VSP03 1220R AB30
VSP03 1220R AB40
VSP03 1220R AB60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	210x110x50	10




MORI

VSP03 1330R AB30
VSP03 1330R AB40
VSP03 1330R AB60

Recessed Moveable Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	300x110x50	4






NIRA

VSP03 2510S SS30
VSP03 2510S SS40
VSP03 2510S SS60

Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	95x95x205	10




NIRA

VSP03 2010S SS30
VSP03 2010S SS40
VSP03 2010S SS60

Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	55x55x150	20




SABA

VSP03 2510T SB30
VSP03 2510T SB40
VSP03 2510T SB60

Surface Round Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	80x80x110	20




SAKA

VSP03 2510V SB30
VSP03 2510V SB40
VSP03 2510V SB60

Surface Square Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	80x80x110	20





PIRA

VSP03 2005Y SS30
VSP03 2005Y SS40
VSP03 2005Y SS60

Surface Downlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
5W	500	100	3000 4000 6000	55x55x100	40






LEDO

VSP03 5306ZA AB30
VSP03 5306ZA AB40
VSP03 5306ZA AB60

Recessed Downlight Luminaires With Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	720	120	3000 4000 6000	95x45x35	20




LEDO

VSP03 5610ZA AB30
VSP03 5610ZA AB40
VSP03 5610ZA AB60

Recessed Downlight Luminaires With Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1200	120	3000 4000 6000	145x45x35	10




LEDO

VSP03 5306ZB SB30
VSP03 5306ZB SB40
VSP03 5306ZB SB60

Surface Downlight Luminaires With Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	720	120	3000 4000 6000	100x45x80	20





LEDO

VSP03 5610ZB SB30
VSP03 5610ZB SB40
VSP03 5610ZB SB60

Surface Downlight Luminaires With Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1200	120	3000 4000 6000	150x45x80	10




MIO

VSP03 1003X AB30
VSP03 1003X AB40
VSP03 1003X AB60

Recessed Moveable Downlight Luminaires


Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	270	90	3000 4000 6000	40x40x26	80



CONTENTS

04

RECESSED LUMINAIRES




ARON


VRE04 6636A AB30
VRE04 6636A AB40
VRE04 6636A AB60

600X600mm Recessed Backlight Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	595x595x35	10



Cutout: 580x580




NARO

VRE04 6636B AB30
VRE04 6636B AB40
VRE04 6636B AB60

600X600mm Recessed Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3960	110	3000 4000 6000	595x595x60	6



Cutout: 580x580




NARO

VRE04 3320B AB30
VRE04 3320B AB40
VRE04 3320B AB60

300X300mm Recessed Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2200	110	3000 4000 6000	295x295x45	10



Cutout: 280x280




NARO

VRE04 3620B AB30
VRE04 3620B AB40
VRE04 3620B AB60

300X600mm Recessed Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2200	110	3000 4000 6000	295x595x60	8



Cutout: 280x580




NARO

VRE04 3136B AB30
VRE04 3136B AB40
VRE04 3136B AB60

300X1200mm Recessed Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3960	110	3000 4000 6000	295x1195x60	4



Cutout: 280x1180






ERAN

VRE04 6636C AB30
VRE04 6636C AB40
VRE04 6636C AB60

600X600mm Indirect Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	595x595x60	5



Cutout: 580x580




ERAN

VRE04 3136C AB30
VRE04 3136C AB40
VRE04 3136C AB60

300X1200mm Recessed Indirect Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	295x1195x60	4



Cutout: 280x1180




MENDA

VRE04 6636D AB30
VRE04 6636D AB40
VRE04 6636D AB60

600X600mm Linear Indirect Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	595x595x60	4



Cutout: 580x580




TULA

VRE04 6636E AB30
VRE04 6636E AB40
VRE04 6636E AB60

600X600mm Recessed Two Line Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	595x595x60	6



Cutout: 580x580




ELNA

VRE04 6636F AB30
VRE04 6636F AB40
VRE04 6636F AB60

600X600mm Recessed Design Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	595x595x60	6



Cutout: 580x580






MERA

VRE04 6636G AB30
VRE04 6636G AB40
VRE04 6636G AB60

600X600mm Recessed Backlight Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	4320	120	3000 4000 6000	595x595x35	6



Cutout: 580x580




LIMERA

VRE04 6636H AB30
VRE04 6636H AB40
VRE04 6636H AB60

600X600mm Recessed Indirect Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	4320	120	3000 4000 6000	595x595x60	4



Cutout: 580x580




LIMERA


VRE04 3136H AB30
VRE04 3136H AB40
VRE04 3136H AB60

300X1200mm Recessed Backlight Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	4320	120	3000 4000 6000	295x1195x30	4



Cutout: 280x1180




ARBA

VRE04 6636K AB30
VRE04 6636K AB40
VRE04 6636K AB60

600X600mm Recessed Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	595x595x60	6



Cutout: 580x580




YUVO


VRE04 6660L AB30
VRE04 6660L AB40
VRE04 6660L AB60

600mm Recessed Round Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	600x600x60	1



Cutout: Ø580






SEBA

VRE04 6636M AB30
VRE04 6636M AB40
VRE04 6636M AB60

600X600mm Recessed Sterile Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	595x595x60	6



Cutout: 580x580




SEBA

VRE04 3320M AB30
VRE04 3320M AB40
VRE04 3320M AB60

300X300mm Recessed Sterile Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	295x295x45	10



Cutout: 280x280




SEBA

VRE04 3620M AB30
VRE04 3620M AB40
VRE04 3620M AB60

300X600mm Recessed Sterile Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	295x595x60	8



Cutout: 280x580




SEBA

VRE04 3136M AB30
VRE04 3136M AB40
VRE04 3136M AB60

300X1200mm Recessed Sterile Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	295x1195x60	4



Cutout: 280x1180




SERAN

VRE04 6636N AB30
VRE04 6636N AB40
VRE04 6636N AB60

600X600mm Recessed Sterile Indirect Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	595x595x90	4



Cutout: 580x580






HOSTA

VRE04 6636P AB30
VRE04 6636P AB40
VRE04 6636P AB60

600X600mm Sterile Luminaires with Tempered Glass

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	595x595x60	4



Cutout: 580x580




HOSTA

VRE04 3320P AB30
VRE04 3320P AB40
VRE04 3320P AB60

300X300mm Sterile Luminaires with Tempered Glass

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	295x295x45	8



Cutout: 280x280




HOSTA

VRE04 3620P AB30
VRE04 3620P AB40
VRE04 3620P AB60

300X600mm Sterile Luminaires with Tempered Glass

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	295x595x60	6



Cutout: 280x580




HOSTA

VRE04 3136P AB30
VRE04 3136P AB40
VRE04 3136P AB60

300X1200mm Sterile Luminaires with Tempered Glass

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	295x1195x60	4




Cutout: 280x1180



CONTENTS

05

SURFACE LUMINAIRES






ARON

VSU05 6636A SB30
VSU05 6636A SB40
VSU05 6636A SB60

600X600mm Surface Backlight Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	600x600x60	6




NARO

VSU05 6636B SB30
VSU05 6636B SB40
VSU05 6636B SB60

600X600mm Surface Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3960	110	3000 4000 6000	600x600x60	6




NARO

VSU05 3320B SB30
VSU05 3320B SB40
VSU05 3320B SB60

300X300mm Surface Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2200	110	3000 4000 6000	300x300x60	10




NARO

VSU05 3620B SB30
VSU05 3620B SB40
VSU05 3620B SB60

300X600mm Surface Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2200	110	3000 4000 6000	300x600x60	8




NARO

VSU05 3136B SB30
VSU05 3136B SB40
VSU05 3136B SB60

300X1200mm Surface Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3960	110	3000 4000 6000	300x1200x60	4






MERA

VSU05 6636G SB30
VSU05 6636G SB40
VSU05 6636G SB60

600X600mm Surface Backlight Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	4320	120	3000 4000 6000	600x600x60	6




LIMERA

VSU05 6636H SB30
VSU05 6636H SB40
VSU05 6636H SB60

600X600mm Surface Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	4320	120	3000 4000 6000	600x600x60	6




TULA

VSU05 6636E SB30
VSU05 6636E SB40
VSU05 6636E SB60

600X600mm Recessed Two Line Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	600x600x60	6




ELNA

VSU05 6636F SB30
VSU05 6636F SB40
VSU05 6636F SB60

600X600mm Surface Design Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	600x600x60	6




FRAME

VSU05 6600R SB00

600X600mm Surface Backlight Only Frames

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
-	-	-	-	600x600x60	10






YUVO

VSU05 6660L SB30
VSU05 6660L SB40
VSU05 6660L SB60

600X600mm Surface Round Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	600x600x80	1




KAYO

VSU05 6660S SB30
VSU05 6660S SB40
VSU05 6660S SB60

600X600mm Surface Square Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	600x600x80	1




PLAFO

VSU05 6636TA SB30
VSU05 6636TA SB40
VSU05 6636TA SB60

600mm Surface Round Double Side Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	600x600x30	1




PLAKO

VSU05 6640TB SB30
VSU05 6640TB SB40
VSU05 6640TB SB60

600mm Surface Square Double Side Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4000	100	3000 4000 6000	600x600x30	1



PLARO

VSU05 6940TC SB30
VSU05 6940TC SB40
VSU05 6940TC SB60

Surface Double Side Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4000	100	3000 4000 6000	600x900x30	1






SEBA

VSU05 6636M SB30
VSU05 6636M SB40
VSU05 6636M SB60

600X600mm Surface Sterile Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	600x600x35	6




SEBA

VSU05 3320M SB30
VSU05 3320M SB40
VSU05 3320M SB60

300X300mm Surface Sterile Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	300x300x60	10




SEBA

VSU05 3620M SB30
VSU05 3620M SB40
VSU05 3620M SB60

300X600mm Surface Sterile Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	300x600x60	6




SEBA

VSU05 3136M SB30
VSU05 3136M SB40
VSU05 3136M SB60

300X1200mm Surface Sterile Backlight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	300x1200x60	4






HOSTA

VSU05 6636P SB30
VSU05 6636P SB40
VSU05 6636P SB60

600X600mm Sterile Luminaires with Tempered Glass

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	600x600x60	4




HOSTA

VSU05 3320P SB30
VSU05 3320P SB40
VSU05 3320P SB60

300X300mm Sterile Luminaires with Tempered Glass

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	300x300x60	8





HOSTA

VSU05 3620P SB30
VSU05 3620P SB40
VSU05 3620P SB60

300X600mm Sterile Luminaires with Tempered Glass

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	300x600x60	8





HOSTA

VSU05 3136P SB30
VSU05 3136P SB40
VSU05 3136P SB60

300X1200mm Sterile Luminaires with Tempered Glass






















Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	300x1200x60	4



CONTENTS

06

TRACKLIGHTS & MAGNETIC TRACKLIGHTS

 ELTO	 NERO	 NERO	 TAYO	 TAYO
 TEGO	 REYO	 REYO	 BENO	 BENO
 UBTO	 UBTO	 TELO	 TELO	 PARTS
 MAGNE	 MAGTE	 MAGPO	 MAGSA	 MAGYO
 PARTS	 PARTS	 PARTS		




ELTO

VTR06 1220A RS30
VTR06 1220A RS40
VTR06 1220A RS60

Die Cast Body Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	95x205x170	10




NERO

VTR06 2120B RS30
VTR06 2120B RS40
VTR06 2120B RS60

Die Cast Body Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	90x110x150	10




NERO

VTR06 3130B RS30
VTR06 3130B RS40
VTR06 3130B RS60

Die Cast Body Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	100x120x150	10




TAYO

VTR06 2120C RS30
VTR06 2120C RS40
VTR06 2120C RS60

Die Cast Body Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	90x110x170	10




TAYO

VTR06 3130C RS30
VTR06 3130C RS40
VTR06 3130C RS60

Die Cast Body Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	100x120x170	10






TEGO

VTR06 1120D RS30
VTR06 1120D RS40
VTR06 1120D RS60

Die Cast Body Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	60x150x120	10




REYO

VTR06 2120E RB30
VTR06 2120E RB40
VTR06 2120E RB60

Die Cast Body Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	90x120x165	10




REYO

VTR06 3130E RB30
VTR06 3130E RB40
VTR06 3130E RB60

Die Cast Body Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	100x120x165	10




BENO

VTR06 2120F RB30
VTR06 2120F RB40
VTR06 2120F RB60

Die Cast Body Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	90x120x165	10




BENO

VTR06 3130F RB30
VTR06 3130F RB40
VTR06 3130F RB60

Die Cast Body Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	100x120x165	10






UBTO

VTR06 1110G RB30
VTR06 1110G RB40
VTR06 1110G RB60

Die Cast Body Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	60x110x170	20





UBTO

VTR06 1210G RB30
VTR06 1210G RB40
VTR06 1210G RB60

Die Cast Body Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	60x155x170	20




TELO

VTR06 1306H RB30
VTR06 1306H RB40
VTR06 1306H RB60

Die Cast Body Tracklight Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	720	120	3000 4000 6000	95x44x110	20




TELO

VTR06 1510H RB30
VTR06 1510H RB40
VTR06 1510H RB60


Die Cast Body Tracklight Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1200	120	3000 4000 6000	145x44x110	10



TRACKLIGHT ACCESSORIES

VTR06 1000	1 meter track	Monophase or Triphase
VTR06 2000	2 meter track	Monophase or Triphase
VTR06 3000	3 meter track	Monophase or Triphase
VTR06 I CON	I connection	Monophase or Triphase
VTR06 L CON	L connection	Monophase or Triphase
VTR06 T CON	T connection	Monophase or Triphase
VTR06 END CAP	End Cup	Monophase or Triphase




MAGNE

VTR06 1206J RS30
VTR06 1206J RS40
VTR06 1206J RS60

Magnetic Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	100	600	3000 4000 6000	22x112x25	40





MAGNE

VTR06 2212J RS30
VTR06 2212J RS40
VTR06 2212J RS60

Magnetic Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	22x222x25	30





MAGNE

VTR06 3218J RS30
VTR06 3218J RS40
VTR06 3218J RS60

Magnetic Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	22x328x25	20




MAGTE

VTR06 1210K RS30
VTR06 1210K RS40
VTR06 1210K RS60

Magnetic Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	50x132x123	30




MAGTE

VTR06 2220K RS30
VTR06 2220K RS40
VTR06 2220K RS60

Magnetic Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	60x150x133	20







MAGPO

VTR06 1206L RS30
VTR06 1206L RS40
VTR06 1206L RS60

Magnetic Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	600	100	3000 4000 6000	22x300x25	40




MAGPO

VTR06 2212L RS30
VTR06 2212L RS40
VTR06 2212L RS60

Magnetic Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	22X600x25	30





MAGPO

VTR06 3218L RS30
VTR06 3218L RS40
VTR06 3218L RS60

Magnetic Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	22x900x25	20




MAGSA

VTR06 1210M RS30
VTR06 1210M RS40
VTR06 1210M RS60

Magnetic Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	1000	100	3000 4000 6000	50x155	30





MAGSA

VTR06 2220M RS30
VTR06 2220M RS40
VTR06 2220M RS60

Magnetic Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	50x300	20







MAGYO

VTR06 1206N RS30
VTR06 1206N RS40
VTR06 1206N RS60

Magnetic Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	600	100	3000 4000 6000	22x115x70	40





MAGYO

VTR06 2212N RS30
VTR06 2212N RS40
VTR06 2212N RS60


Magnetic Tracklight Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	22X223x70	30



MAGNETIC TRACK ACCESSORIES

VTR06 1000S MAGNET	1 meter	Surface Magnet Track
VTR06 2000S MAGNET	2 meter	Surface Magnet Track
VTR06 1000R MAGNET	1 meter	Recessed Magnet Track
VTR06 2000R MAGNET	2 meter	Recessed Magnet Track
VTR06 1000T MAGNET	1 meter	Trimless Magnet Track
VTR06 1000T MAGNET	2 meter	Trimless Magnet Track



MAGNETIC TRACK ACCESSORIES

VTR06 Energy Starting	Energy Starting Part
VTR06 Flexible Connection	Flexible Connection Part
VTR06 Middle Connection	Middle Connection Part
VTR06 L Corner Connection (Wall)	L Corner Connection Profile Wall
VTR06 L Corner Connection (Recessed)	L Corner Connection Profile Recessed
VTR06 L Corner Connection (Surface)	L Corner Connection Profile Surface



MAGNETIC TRACK ACCESSORIES

VTR06 100W MAGNET DRIVER	100W Magnet Driver
VTR06 200W MAGNET DRIVER	200W Magnet Driver

CONTENTS

07

WATERPROOF & INDUSTRIAL LIGHTING



PRONA




PRONA



ALPO



ALPO



PLARA



PLARA



GERA



ETNA



HABA



HABA



KAHEN



KAHEN



SANTA



ROBU



BENI



BENI



BANTE



BANPE



BEVI



BEVI




PRONA

VIN07 6020A SG30
VIN07 6020A SG40
VIN07 6020A SG60

600mm Waterproof Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	110x660x95	20




PRONA

VIN07 1236A SG30
VIN07 1236A SG40
VIN07 1236A SG60

1200mm Waterproof Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	110x1270x95	10




PRONA

VIN07 1255A SG30
VIN07 1255A SG40
VIN07 1255A SG60

1200mm Waterproof Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
55W	5500	100	3000 4000 6000	150x1270x95	10




ALPO

VIN07 6020B SG30
VIN07 6020B SG40
VIN07 6020B SG60

600mm Aluminum Body Waterproof Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	50x600x70	20





ALPO

VIN07 1236B SG30
VIN07 1236B SG40
VIN07 1236B SG60

1200mm Aluminum Body Waterproof Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	50x1200x70	10






PLARA

VIN07 6020C SG30
VIN07 6020C SG40
VIN07 6020C SG60

600mm Polycarbon Body Waterproof Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	55x600x52	20




PLARA

VIN07 1236C SG30
VIN07 1236C SG40
VIN07 1236C SG60

1200mm Polycarbon Body Waterproof Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	55x1200x52	10



GERA

VIN07 1236D SG30
VIN07 1236D SG40
VIN07 1236D SG60

1200mm Polycarbon Body Waterproof Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	82x1200x72	10



GERA

VIN07 1255D SG30
VIN07 1255D SG40
VIN07 1255D SG60

1200mm Polycarbon Body Waterproof Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
55W	5500	100	3000 4000 6000	82x1200x72	10




ETNA

VIN07 1236E SG30
VIN07 1236E SG40
VIN07 1236E SG60

1200mm Waterproof Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	66x1200x34	20






HABA

VIN07 1172F SS30
VIN07 1172F SS40
VIN07 1172F SS60

1X54 Steel Body High Bay Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
72W	7200	100	3000 4000 6000	120x1200x60	8




HABA

VIN07 1211F SS30
VIN07 1211F SS40
VIN07 1211F SS60

2X54 Steel Body High Bay Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
110W	11000	100	3000 4000 6000	190x1200x60	4





HABA

VIN07 1316F SS30
VIN07 1316F SS40
VIN07 1316F SS60

3X54 Steel Body High Bay Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
160W	16000	100	3000 4000 6000	350x1200x60	4




KAHEN

VIN07 1112G SG30
VIN07 1112G SG40
VIN07 1112G SG60

1200mm Aluminum High Bay Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	14400	120	3000 4000 6000	120x1200x97	4





KAHEN

VIN07 1224G SG30
VIN07 1224G SG40
VIN07 1224G SG60

1200mm Aluminum High Bay Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
240W	28800	120	3000 4000 6000	240x1200x97	2






SANTA

VIN07 4410H SS30
VIN07 4410H SS40
VIN07 4410H SS60

Rectangular High Bay Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	350x350x130	4




SANTA

VIN07 4414H SS30
VIN07 4414H SS40
VIN07 4414H SS60

Rectangular High Bay Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
140W	14000	100	3000 4000 6000	350x350x130	4




ROBU

VIN07 4460J SG30
VIN07 4460J SG40
VIN07 4460J SG60

Round High Bay Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6600	110	3000 4000 6000	365x365x160	4




ROBU

VIN07 4410J SG30
VIN07 4410J SG40
VIN07 4410J SG60

Round High Bay Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	11000	110	3000 4000 6000	365x365x160	4




ROBU

VIN07 4415J SG30
VIN07 4415J SG40
VIN07 4415J SG60

Round High Bay Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	16500	110	3000 4000 6000	365x365x160	4






BENI

VIN07 6020K SB30
VIN07 6020K SB40
VIN07 6020K SB60

600mm Flat Batten Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	75x600x25	20




BENI

VIN07 1236K SB30
VIN07 1236K SB40
VIN07 1236K SB60

1200mm Flat Batten Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	75x1200x25	10




BANTE

VIN07 1236L SB30
VIN07 1236L SB40
VIN07 1236L SB60

1200mm Opal Diffusor Batten Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	75x1200x35	10



BANPE

VIN07 1236M SB30
VIN07 1236M SB40
VIN07 1236M SB60

1200mm Prismatic Diffusor Batten Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	75x1200x35	10






BEVI

VIN07 3004N SB30
VIN07 3004N SB40
VIN07 3004N SB60

300mm Trunkable Batten Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
4W	400	100	3000 4000 6000	22x280x36	40




BEVI

VIN07 6009N SB30
VIN07 6009N SB40
VIN07 6009N SB60

600mm Trunkable Batten Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	3000 4000 6000	22x580x36	30




BEVI

VIN07 9012N SB30
VIN07 9012N SB40
VIN07 9012N SB60

900mm Trunkable Batten Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	22x880x36	20



BEVI

VIN07 1218N SB30
VIN07 1218N SB40
VIN07 1218N SB60

1200mm Trunkable Batten Luminaires





























Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	22x1180x36	10



CONTENTS

08

WALL AND CEILING LIGHTING

 PRAN	 NAPO	 SELA	 SENO	 MIRO
 GLEN	 GLEN	 OPGA	 GONA	 GONA
 CABU	 GATO	 OPI	 OVI	 HALFA
 NOPU	 KODA	 UPDO	 UPKA	 UPVO
 HALFI	 DUVI	 NATI	 BREI	 OREI
 DUGA	 LUGA	 TREI		




PRAN

VCE08 3301A SB00

1XE27 Lampholder Bulkhead Globe With Prismatic

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	810	90	3000 4000 6000	300x300x100	10




PRAN

VCE08 3302A SB00

2XE27 Lampholder Bulkhead Globe With Prismatic

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
2XE27	1620	90	3000 4000 6000	300x300x100	10



NAPO


VCE08 3312B SG30

VCE08 3312B SG40

VCE08 3312B SG60

Bulkhead Globe With Opal Diffusor

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	300x300x100	10



NAPO


VCE08 3320B SG30

VCE08 3320B SG40

VCE08 3320B SG60

Bulkhead Globe With Opal Diffusor

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	2000	100	3000 4000 6000	300x300x100	10



NAPO


VCE08 3324B SG30

VCE08 3324B SG40

VCE08 3324B SG60

Bulkhead Globe With Opal Diffusor

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	300x300x100	10






SELA

VCE08 3302C SB00

2XE27 Sensor Bulkhead Globe Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
2XE27	810	90	3000 4000 6000	300x300x95	10




SELA

VCE08 3302C SB03

2XE27 Sensor Bulkhead Globe Luminaires with 3h Emerg. Kit

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
2XE27	1620	90	3000 4000 6000	300x300x95	10



SENO


VCE08 3318D SB30

VCE08 3318D SB40

VCE08 3318D SB60

Surface Sensor Bulkhead Globe Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1620	90	3000 4000 6000	300x300x95	10



SENO


VCE08 3318D SB33

VCE08 3318D SB43

VCE08 3318D SB63

Surface Sensor Bulkhead Globe Luminaires with 3h Emerg. Kit

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1620	90	3000 4000 6000	300x300x95	10



MIRO


VCE08 6012E WG30

VCE08 6012E WG40

VCE08 6012E WG60

Aluminium Body Overmirror Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	960	80	3000 4000 6000	68x600x75	20






GLEN

VCE08 1124F SB30
VCE08 1124F SB40
VCE08 1124F SB60

Bulkhead Glop Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2160	90	3000 4000 6000	175x175x45	20




GLEN

VCE08 2236F SB30
VCE08 2236F SB40
VCE08 2236F SB60

Bulkhead Glop Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3240	90	3000 4000 6000	220x220x45	16




OPGA

VCE08 3318G SB30
VCE08 3318G SB40
VCE08 3318G SB60

Plastic Body Bulkhead Glop Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1620	90	3000 4000 6000	300x300x95	10




GONA

VCE08 1115H SB30
VCE08 1115H SB40
VCE08 1115H SB60

Plastic Body Bulkhead Glop Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
15W	1350	90	3000 4000 6000	160x160x65	20




GONA

VCE08 2220H SB30
VCE08 2220H SB40
VCE08 2220H SB60

Plastic Body Bulkhead Glop Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1800	90	3000 4000 6000	210x210x65	16







CABU

VCE08 3312J SB30
VCE08 3312J SB40
VCE08 3312J SB60

Bulkhead Glop Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	260x260x83	10




GATO

VCE08 1201K WB00

1XE27 Plastic Body Wall Bulkhead Luminaires with Grill

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	810	90	3000 4000 6000	105x215x125	20




OPI

VCE08 1212L WB30
VCE08 1212L WB40
VCE08 1212L WB60

Plastic Body Wall Bulkhead Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	105x215x55	20




OVI

VCE08 1212M WB30
VCE08 1212M WB40
VCE08 1212M WB60

Plastic Body Wall Bulkhead Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	150x260x50	20




HALFA

VCE08 3301N WS00

1XE27 Lampholder Plastic Body Wall Half Bulkhead

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	810	90	3000 4000 6000	280x280x100	10






NOPU

VCE08 1112P WS30
VCE08 1112P WS40
VCE08 1112P WS60

Decorative Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	960	80	3000 4000 6000	165x165x100	10




KODA

VCE08 1112R WS30
VCE08 1112R WS40
VCE08 1112R WS60

Decorative Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	960	80	3000 4000 6000	165x165x100	10




UPDO

VCE08 1110SA WS30
VCE08 1110SA WS40
VCE08 1110SA WS60

2X5W Decorative Up&Down Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	800	80	3000 4000 6000	100x135x100	10




UPKA

VCE08 1110SB WS30
VCE08 1110SB WS40
VCE08 1110SB WS60

2X5W Decorative Up&Down Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	800	80	3000 4000 6000	100x135x100	10




UPVO

VCE08 1110SC WS30
VCE08 1110SC WS40
VCE08 1110SC WS60

2X5W Decorative Up&Down Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	800	80	3000 4000 6000	160x130x75	10






HALFI

VCE08 1220TA WS30
VCE08 1220TA WS40
VCE08 1220TA WS60

Decorative Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	180x200x80	10





DUVI

VCE08 1220TB WS30
VCE08 1220TB WS40
VCE08 1220TB WS60

Decorative Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	110x235x100	10




NATI

VCE08 1220TC WS30
VCE08 1220TC WS40
VCE08 1220TC WS60

Decorative Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	110x235x100	10




BREI

VCE08 1220TD WS30
VCE08 1220TD WS40
VCE08 1220TD WS60

Decorative Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	100x235x50	10





OREI

VCE08 1220TE WS30
VCE08 1220TE WS40
VCE08 1220TE WS60

Decorative Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	130x230x50	10






DUGA

VCE08 1220TF WS30
VCE08 1220TF WS40
VCE08 1220TF WS60

Decorative Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	110x235x100	10




LUGA

VCE08 1220TG WS30
VCE08 1220TG WS40
VCE08 1220TG WS60

Decorative Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	110x235x100	10




TREI

VCE08 1206TH WS30
VCE08 1206TH WS40
VCE08 1206TH WS60

Decorative Wall Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	480	80	3000 4000 6000	80x170x60	20



CONTENTS

09


EXIT & EMERGENCY AND SENSOR



EXON



EXAL



EXAL



EXSA




NEYO




NEYO



VIEN




SECU



SECU



EMNY



EMNY



FOTSE



MOVE




MOVE



MOVE



LADE



LADE





EXON

VEM09 2206A SB33
VEM09 2206A SB43
VEM09 2206A SB63

Emergency Exit Lighting

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	480	80	3000 4000 6000	30x240x185	20





EXAL

VEM09 2206B SG33
VEM09 2206B SG43
VEM09 2206B SG63

Aluminum Emergency Exit Lighting

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	480	80	3000 4000 6000	30x240x185	20






EXAL

VEM09 2206C AG33
VEM09 2206C AG43
VEM09 2206C AG63

Recessed Emergency Exit Lighting

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	480	80	3000 4000 6000	80x240x170	20




EXSA

VEM09 2206D SG33
VEM09 2206D SG43
VEM09 2206D SG63

Emergency Exit Lighting

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	480	80	3000 4000 6000	43x365x168	40




NEYO

VEM09 1306E SB33
VEM09 1306E SB43
VEM09 1306E SB63

Emergency Lighting IP20

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	480	80	3000 4000 6000	100x300x35	10




NEYO

VEM09 1306F SB33
VEM09 1306F SB43
VEM09 1306F SB63

Emergency Lighting IP65

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	480	80	3000 4000 6000	100x300x42	10





VIEN

VEM09 1003G AB33
VEM09 1003G AB43
VEM09 1003G AB63

Emergency Spot with 3 Hours Kit

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	270	90	3000 4000 6000	100x100x25	40






SECU

VEM09 1210HA SB33
VEM09 1210HA SB43
VEM09 1210HA SB63

2X5W Emergency Lighting IP40

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
2X5W	800	80	3000 4000 6000	100x300x295	10




SECU

VEM09 1210HB SB33
VEM09 1210HB SB43
VEM09 1210HB SB63

2X5W Emergency Lighting IP65

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
2X5W	800	80	3000 4000 6000	100x300x295	10




EMNY

VEM09 2209JA SG33
VEM09 2209JA SG43
VEM09 2209JA SG63

1X9W Emergency Lighting IP65

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	720	80	3000 4000 6000	90x240x200	4




EMNY

VEM09 2218JB SG33
VEM09 2218JB SG43
VEM09 2218JB SG63

2X9W Emergency Lighting IP65

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1440	80	3000 4000 6000	90x240x200	4





FOTSE

VEM09 1100K SB00

Photocell

Degree	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
180°	-	-	-	80x80x76	40






MOVE

VEM09 1100L AB00

Recessed Movement Sensor

Degree	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
360°	-	-	-	80x80x60	30




MOVE

VEM09 1100M SB00

Surface Movement Sensor

Degree	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
360°	-	-	-	125x125x30	30




MOVE

VEM09 1100N SB00

Wall Movement Sensor

Degree	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
180°	-	-	-	60x100x150	20



LADE



VEM09 4506PA SB30

VEM09 4506PA SB40

VEM09 4506PA SB60

60 Led Emergency Lantern

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	480	80	3000 4000 6000	65x450x47	20



LADE



VEM09 6009PB SB30

VEM09 6009PB SB40

VEM09 6009PB SB60

90 Led Emergency Lantern


Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	720	80	3000 4000 6000	65x600x47	20



CONTENTS

10

URBAN AND PARK LUMINAIRES






REKA

VPA10 3130A UG30
VPA10 3130A UG40
VPA10 3130A UG60

Single Console Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3600	120	3000 4000 6000	700x120x3000	1




REKA

VPA10 3260A UG30
VPA10 3260A UG40
VPA10 3260A UG60

Double Console Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7200	120	3000 4000 6000	1400x120x3000	1




ZANA

VPA10 3030B UG30
VPA10 3030B UG40
VPA10 3030B UG60

Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	150x150x3000	1




VUNA

VPA10 3030C UG30
VPA10 3030C UG40
VPA10 3030C UG60

Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	150x150x3000	1




ODAR

VPA10 3040D UG30
VPA10 3040D UG40
VPA10 3040D UG60

Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4000	100	3000 4000 6000	150x150x3000	1






ONIN

VPA10 3130E UG30
VPA10 3130E UG40
VPA10 3130E UG60

Architectural Round Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3600	120	3000 4000 6000	500x500x3000	1




KANIN

VPA10 3130F UG30
VPA10 3130F UG40
VPA10 3130F UG60

Architectural Square Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3600	120	3000 4000 6000	500x500x3000	1




VERON

VPA10 3130G UG30
VPA10 3130G UG40
VPA10 3130G UG60

Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3600	120	3000 4000 6000	400x400x3000	1




DERA

VPA10 3130H UG30
VPA10 3130H UG40
VPA10 3130H UG60

Single Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	400x400x3000	1




DERA

VPA10 3260H UG30
VPA10 3260H UG40
VPA10 3260H UG60

Double Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	900x400x3000	1






RONA

VPA10 3160J UG30
VPA10 3160J UG40
VPA10 3160J UG60

Single Console Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	400x400x3000	1




RONA

VPA10 3212J UG30
VPA10 3212J UG40
VPA10 3212J UG60

Double Console Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	12000	100	3000 4000 6000	900x400x3000	1




VOLEN

VPA10 3140K UG30
VPA10 3140K UG40
VPA10 3140K UG60

Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4000	100	3000 4000 6000	600x600x3000	1




IVOR

VPA10 3160L UG30
VPA10 3160L UG40
VPA10 3160L UG60

Single Console Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	700x150x3000	1




OSAN

VPA10 3550M UG30
VPA10 3550M UG40
VPA10 3550M UG60

Architectural Urban Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	5000	100	3000 4000 6000	150x150x3000	1






MECNA

VPA10 3130N UG30
VPA10 3130N UG40
VPA10 3130N UG60

Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	250x250x3000	1




KEHNA

VPA10 3130P UG30
VPA10 3130P UG40
VPA10 3130P UG60

Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	250x250x3000	1




KLAB

VPA10 3130R UG30
VPA10 3130R UG40
VPA10 3130R UG60

Single Console Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	3000	1




KLAB

VPA10 3260R UG30
VPA10 3260R UG40
VPA10 3260R UG60

Double Console Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	3000	1




MANEK

VPA10 3130S UG30
VPA10 3130S UG40
VPA10 3130S UG60

Single Console Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	3000	1






MANEK

VPA10 3160S UG30
VPA10 3160S UG40
VPA10 3160S UG60

Double Console Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	3000	1




YEPON

VPA10 3130T UG30
VPA10 3130T UG40
VPA10 3130T UG60

Single Console Classic Park Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	3000	100	3000 4000 6000	3000	1




YEPON

VPA10 3260T UG30
VPA10 3260T UG40
VPA10 3260T UG60

Double Console Classic Park Luminaires


Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	3000	1




CONTENTS

11

BOLLARDS



REKA



REYA



DAKAR



ZANA



VUNA



ODAR



ODIN



RUNE



BOLTA



DERA



YUTA



YUTA



KATA



KATA



BOSRA



ANYU



HELRA



MABA



MIBA




LIBA



POLO



POKA




REKA

VBL11 0810A UG30
VBL11 0810A UG40
VBL11 0810A UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	80x150x800	1




REYA

VBL11 0810AB UG30
VBL11 0810AB UG40
VBL11 0810AB UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	80x120x800	1





DAKAR

VBL11 0810E UG30
VBL11 0810E UG40
VBL11 0810E UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1




ZANA

VBL11 0810B UG30
VBL11 0810B UG40
VBL11 0810B UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1




VUNA

VBL11 0810C UG30
VBL11 0810C UG40
VBL11 0810C UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1






ODAR

VBL11 0810D UG30
VBL11 0810D UG40
VBL11 0810D UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1




ODIN

VBL11 0810F UG30
VBL11 0810F UG40
VBL11 0810F UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1




RUNE

VBL11 0810G UG30
VBL11 0810G UG40
VBL11 0810G UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1




BOLTA

VBL11 0810J UG30
VBL11 0810J UG40
VBL11 0810J UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	100x100x800	1




DERA

VBL11 0820H UG30
VBL11 0820H UG40
VBL11 0820H UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1800	90	3000 4000 6000	80x900x800	1






YUTA

VBL11 0805JA UG30
VBL11 0805JA UG40
VBL11 0805JA UG60

Single Side Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
5W	450	90	3000 4000 6000	120x120x800	1




YUTA

VBL11 0810JB UG30
VBL11 0810JB UG40
VBL11 0810JB UG60

Double Side Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1





KATA

VBL11 0805KA UG30
VBL11 0805KA UG40
VBL11 0805KA UG60

Single Side Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
5W	450	90	3000 4000 6000	120x120x800	1




KATA

VBL11 0810KB UG30
VBL11 0810KB UG40
VBL11 0810KB UG60

Double Side Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	120x120x800	1




BOSRA

VBL11 0605L UG30
VBL11 0605L UG40
VBL11 0605L UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
5W	450	90	3000 4000 6000	55x160x600	1






ANYU

VBL11 0706M UG30
VBL11 0706M UG40
VBL11 0706M UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	100x100x700	1




HELRA

VBL11 0806N UG30
VBL11 0806N UG40
VBL11 0806N UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	70x70x800	1




MABA

VBL11 0706P UG30
VBL11 0706P UG40
VBL11 0706P UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	100x100x700	1




MIBA

VBL11 0806R UG30
VBL11 0806R UG40
VBL11 0806R UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	70x70x800	1




LIBA

VBL11 0808S UG30
VBL11 0808S UG40
VBL11 0808S UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
8W	720	90	3000 4000 6000	70x70x750	1






POLO

VBL11 0812T UG30
VBL11 0812T UG40
VBL11 0812T UG60

Architectural Bollard Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	70x170x800	1




POKA

VBL11 0812U UG30
VBL11 0812U UG40
VBL11 0812U UG60

Architectural Bollard Luminaires














Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	70x155x800	1



CONTENTS

12

WALL LUMINAIRES






DUNO

VAL12 1212A WG30
VAL12 1212A WG40
VAL12 1212A WG40

Wall Mounted Double Side Up&Down Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	70x240	1




DUKA

VAL12 1212B WG30
VAL12 1212B WG40
VAL12 1212B WG60

Wall Mounted Double Side Up&Down Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	70x240	1



LIDO

VAL12 1210C WG30
VAL12 1210C WG40
VAL12 1210C WG60

Wall Mounted Single Side Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	200x70	1




POLO

VAL12 1112T WG30
VAL12 1112T WG40
VAL12 1112T WG60

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	70x145	1





POKA

VAL12 1112U WG30
VAL12 1112U WG40
VAL12 1112U WG60

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1080	90	3000 4000 6000	70x145	1






UPDO

VAL12 1210D WS00

Wall Mounted Double Side Up&Down Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
2XGU10	900	90	3000 4000 6000	60x60x160	1



HELRA


VAL12 1206N WG30

VAL12 1206N WG40

VAL12 1206N WG40

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	70x70x220	1



MABA


VAL12 1206R WG30

VAL12 1206R WG40

VAL12 1206R WG60

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	70x70x220	1



ZANA


VAL12 1206M WG30

VAL12 1206M WG40

VAL12 1206M WG60

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	100x100x250	1



VUNA


VAL12 1206P WG30


VAL12 1206P WG40

VAL12 1206P WG60

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	540	90	3000 4000 6000	100x100x250	1







KAMI

VAL12 1105E WS30
VAL12 1105E WS40
VAL12 1105E WS60

Wall Mounted Up&Down Luminaires




Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
5W	450	90	3000 4000 6000	65x65x90	1




LEMI

VAL12 3112F WS30
VAL12 3112F WS40
VAL12 3112F WS60

Decorative Wall Mounted Luminaires




Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	960	80	3000 4000 6000	320x90x30	1




ROU

VAL12 2208G WS30
VAL12 2208G WS40
VAL12 2208G WS60

Decorative Wall Mounted Luminaires




Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
8W	640	80	3000 4000 6000	180x180x40	1



SQOU

VAL12 2208H WS30
VAL12 2208H WS40
VAL12 2208H WS60

Decorative Wall Mounted Luminaires




Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
8W	640	80	3000 4000 6000	180x180x40	1



ELOU

VAL12 1610J WS30
VAL12 1610J WS40
VAL12 1610J WS60

Decorative Wall Mounted Luminaires



Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	800	80	3000 4000 6000	120x600x40	1






BELU

VAL12 2400K WS00

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	720	80	3000 4000 6000	250x440	1





BENU

VAL12 2400L WS00

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	720	80	3000 4000 6000	280x380	1





KUYE

VAL12 3200SA WS00

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	720	80	3000 4000 6000	280x250	1




KUPO

VAL12 3400SB WS00

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	720	80	3000 4000 6000	350x400	1





KUPA

VAL12 3400SC WS00

Decorative Wall Mounted Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1XE27	720	80	3000 4000 6000	280x380	1






IZAN

VAL12 2108T WG30
VAL12 2108T WG40
VAL12 2108T WG60

Trace Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
8W	640	80	3000 4000 6000	256x110x86	1




IZER

VAL12 2003U WS30
VAL12 2003U WS40
VAL12 2003U WS60

Trace Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	240	80	3000 4000 6000	185x40x45	1






IZKA

VAL12 1106V WS30
VAL12 1106V WS40
VAL12 1106V WS60

Trace Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	480	80	3000 4000 6000	85x85x50	1




IZYU

VAL12 1106Y WS30
VAL12 1106Y WS40
VAL12 1106Y WS60

Trace Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	480	80	3000 4000 6000	85x85x50	1




IZMI

VAL12 1003Z WG30
VAL12 1003Z WG40
VAL12 1003Z WG60

Trace Luminaires





























Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	240	80	3000 4000 6000	110x45x45	1



CONTENTS

13

WALLWASHER AND GROUND LUMINAIRES

 VALO	 VALO	 VALO	 RGB VALO	 RGB VALO
 VALRE	 VALRE	 VALRE	 RGB VALRE	 RGB VALRE
 GRON	 GRON	 GRON	 RGB GRON	 RGB GRON
 KENE	 KENE	 KENE	 RGB KENE	 RGB KENE
 TREA	 TRON	 TELIA	 TOI	 SEYA
 SETCA	 SETBA	 ZEMI		



VALO

VAL13 2006A UG30
VAL13 2006A UG40
VAL13 2006A UG60

Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	600	100	3000 4000 6000	54x190x125	1




VALO

VAL13 3009A UG30
VAL13 3009A UG40
VAL13 3009A UG60

Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	3000 4000 6000	54x270x125	1




VALO

VAL13 5018A UG30
VAL13 5018A UG40
VAL13 5018A UG60

Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	54x500x125	1





VALO

VAL13 6024A UG30
VAL13 6024A UG40
VAL13 6024A UG60

Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	54x650x125	1





VALO

VAL13 1036A UG30
VAL13 1036A UG40
VAL13 1036A UG60

Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	54x980x125	1





VALO

VAL13 2006A UGR0
VAL13 2006A UGG0
VAL13 2006A UGB0

Aluminum Body RGB Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	600	100	Red Green Blue	54x190x125	1




VALO

VAL13 3009A UGR0
VAL13 3009A UGG0
VAL13 3009A UGB0

Aluminum Body RGB Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	Red Green Blue	54x270x125	1




VALO

VAL13 5018A UGR0
VAL13 5018A UGG0
VAL13 5018A UGB0

Aluminum Body RGB Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	Red Green Blue	54x500x125	1




VALO

VAL13 6024A UGR0
VAL13 6024A UGG0
VAL13 6024A UGB0

Aluminum Body RGB Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	Red Green Blue	54x650x125	1





VALO

VAL13 1036A UGR0
VAL13 1036A UGG0
VAL13 1036A UGB0

Aluminum Body RGB Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	Red Green Blue	54x980x125	1






VALRE

VAL13 2006B UG30
VAL13 2006B UG40
VAL13 2006B UG60

Recessed Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	600	100	3000 4000 6000	90x240x67	1





VALRE

VAL13 3009B UG30
VAL13 3009B UG40
VAL13 3009B UG60

Recessed Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	3000 4000 6000	90x320x67	1





VALRE

VAL13 4012B UG30
VAL13 4012B UG40
VAL13 4012B UG60

Recessed Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	90x395x67	1






VALRE

VAL13 5018B UG30
VAL13 5018B UG40
VAL13 5018B UG60

Recessed Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	90x550x67	1





VALRE

VAL13 1036B UG30
VAL13 1036B UG40
VAL13 1036B UG60

Recessed Aluminum Body Wallwasher

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	90x1030x67	1






GRON

VAL13 0601C UG30
VAL13 0601C UG40
VAL13 0601C UG60

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1W	100	100	3000 4000 6000	65x65x75	1




GRON

VAL13 1003C UG30
VAL13 1003C UG40
VAL13 1003C UG60

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	300	100	3000 4000 6000	100x100x90	1




GRON

VAL13 1509C UG30
VAL13 1509C UG40
VAL13 1509C UG60

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	3000 4000 6000	150x150x90	1




GRON

VAL13 2218C UG30
VAL13 2218C UG40
VAL13 2218C UG60

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	220x220x90	1




GRON

VAL13 2224C UG30
VAL13 2224C UG40
VAL13 2224C UG60

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	220x220x90	1






GRON

VAL13 0601C UGR0
VAL13 0601C UGG0
VAL13 0601C UGB0

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
1W	100	100	Red Green Blue	65x65x75	1




GRON

VAL13 1003C UGR0
VAL13 1003C UGG0
VAL13 1003C UGB0

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	300	100	Red Green Blue	100x100x90	1




GRON

VAL13 1509C UGR0
VAL13 1509C UGG0
VAL13 1509C UGB0

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	Red Green Blue	150x150x90	1




GRON

VAL13 2218C UGR0
VAL13 2218C UGG0
VAL13 2218C UGB0

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	Red Green Blue	220x220x90	1




GRON

VAL13 2224C UGR0
VAL13 2224C UGG0
VAL13 2224C UGB0

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	Red Green Blue	220x220x90	1






KENE

VAL13 1103D UG30
VAL13 1103D UG40
VAL13 1103D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	300	100	3000 4000 6000	110x110x75	1




KENE

VAL13 1206D UG30
VAL13 1206D UG40
VAL13 1206D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
6W	600	100	3000 4000 6000	125x125x122	1




KENE

VAL13 1209D UG30
VAL13 1209D UG40
VAL13 1209D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
9W	900	100	3000 4000 6000	125x125x122	1





KENE

VAL13 1512D UG30
VAL13 1512D UG40
VAL13 1512D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	1200	100	3000 4000 6000	155x155x170	1




KENE

VAL13 1818D UG30
VAL13 1818D UG40
VAL13 1818D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1800	100	3000 4000 6000	185x185x175	1






KENE

VAL13 2324D UG30
VAL13 2324D UG40
VAL13 2324D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	2400	100	3000 4000 6000	235x235x210	1




KENE

VAL13 2336D UG30
VAL13 2336D UG40
VAL13 2336D UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	3600	100	3000 4000 6000	235x235x210	1





TREA

VAL13 1010E US30
VAL13 1010E US40
VAL13 1010E US60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	900	90	3000 4000 6000	60x120x30	1




TRON

VAL13 2015F UG30
VAL13 2015F UG40
VAL13 2015F UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
15W	1500	100	3000 4000 6000	93x198x40	1




TELIA

VAL13 1010G UG30
VAL13 1010G UG40
VAL13 1010G UG60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	800	80	3000 4000 6000	220x220x83	1






TOI

VAL13 2005H UB30
VAL13 2005H UB40
VAL13 2005H UB60

Grass Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
5W	450	90	3000 4000 6000	250x250x250	1




SEYA

VAL13 2012J US30
VAL13 2012J US40
VAL13 2012J US60

Garden Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	960	80	3000 4000 6000	160x160x130	1





SETCA

VAL13 2010K US30
VAL13 2010K US40
VAL13 2010K US60

Garden Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	800	80	3000 4000 6000	250x250x150	1





SETBA

VAL13 2010L US30
VAL13 2010L US40
VAL13 2010L US60

Garden Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
10W	800	80	3000 4000 6000	230x230x250	1




ZEMI

VAL13 1003M UG30
VAL13 1003M UG40
VAL13 1003M UG60

Recessed Inground Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
3W	240	80	3000 4000 6000	60x60x64	1



CONTENTS

14

STREET & FLOOD LIGHT



RETES



RETES



RETES



STACA



STACA



CONRA



CONRA



CONTA



URUN



URUN



TABLA



TABLA



TABLA



TABLA



PROCA



PROCA



FLOPO



FLOPO



FLOPO



FLOPO



MODU



MODU



MODU




MODU



MODU



FLON



FLON



FLON



FLON



FLON




RETES

VST14 3645A UG30
VST14 3645A UG40
VST14 3645A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
45W	4500	100	3000 4000 6000	300x640x108	1




RETES

VST14 3660A UG30
VST14 3660A UG40
VST14 3660A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	300x640x108	1




RETES

VST14 3680A UG30
VST14 3680A UG40
VST14 3680A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	8000	100	3000 4000 6000	300x640x108	1




RETES

VST14 3690A UG30
VST14 3690A UG40
VST14 3690A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
90W	9000	100	3000 4000 6000	300x640x108	1




RETES

VST14 3610A UG30
VST14 3610A UG40
VST14 3610A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	300x640x108	1






STACA

VST14 2560B UG30
VST14 2560B UG40
VST14 2560B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7500	125	3000 4000 6000	230x585x60	1




STACA

VST14 2580B UG30
VST14 2580B UG40
VST14 2580B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	10000	125	3000 4000 6000	230x585x60	1




STACA

VST14 2510B UG30
VST14 2510B UG40
VST14 2510B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12500	125	3000 4000 6000	230x585x60	1




STACA

VST14 2512B UG30
VST14 2512B UG40
VST14 2512B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	15000	125	3000 4000 6000	230x585x60	1




STACA

VST14 2514B UG30
VST14 2514B UG40
VST14 2514B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
140W	17500	125	3000 4000 6000	230x585x60	1






CONRA

VST14 2450C UG30
VST14 2450C UG40
VST14 2450C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	6250	125	3000 4000 6000	182x436x98	1




CONRA

VST14 3580C UG30
VST14 3580C UG40
VST14 3580C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	10000	125	3000 4000 6000	282x516x77	1




CONRA

VST14 3514C UG30
VST14 3514C UG40
VST14 3514C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
140W	17500	125	3000 4000 6000	282x516x77	1




CONRA

VST14 4618C UG30
VST14 4618C UG40
VST14 4618C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
180W	22500	125	3000 4000 6000	310x660x105	1




CONRA

VST14 4620C UG30
VST14 4620C UG40
VST14 4620C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	25000	125	3000 4000 6000	310x660x105	1






URUN

VST14 2560D UG30
VST14 2560D UG40
VST14 2560D UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7500	125	3000 4000 6000	200x520x80	1




URUN

VST14 2580D UG30
VST14 2580D UG40
VST14 2580D UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	10000	125	3000 4000 6000	200x520x80	1




URUN

VST14 3610C UG30
VST14 3610C UG40
VST14 3610C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12500	125	3000 4000 6000	200x630x80	1




URUN

VST14 3612D UG30
VST14 3612D UG40
VST14 3612D UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	15000	125	3000 4000 6000	200x630x80	1




URUN

VST14 3615D UG30
VST14 3615D UG40
VST14 3615D UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	18750	125	3000 4000 6000	200x630x80	1







TABLA

VST14 2150E US30
VST14 2150E US40
VST14 2150E US60

Onboard Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	5000	100	3000 4000 6000	206x160x30	1




TABLA

VST14 2210E US30
VST14 2210E US40
VST14 2210E US60

Onboard Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	270x210x30	1





TABLA

VST14 2315E US30
VST14 2315E US40
VST14 2315E US60

Onboard Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	15000	100	3000 4000 6000	330x250x30	1





TABLA

VST14 2420E US30
VST14 2420E US40
VST14 2420E US60

Onboard Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	20000	100	3000 4000 6000	370x270x30	1







PROCA

VST14 3360F US30
VST14 3360F US40
VST14 3360F US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7500	125	3000 4000 6000	277x330x65	1




PROCA

VST14 3310F US30
VST14 3310F US40
VST14 3310F US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12500	125	3000 4000 6000	277x330x65	1




PROCA

VST14 4415F US30
VST14 4415F US40
VST14 4415F US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	18750	125	3000 4000 6000	420x379x65	1




PROCA

VST14 4420F US30
VST14 4420F US40
VST14 4420F US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	25000	125	3000 4000 6000	420x379x65	1






FLOPO

VST14 2360G UG30
VST14 2360G UG40
VST14 2360G UG60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7500	125	3000 4000 6000	230x360x75	1




FLOPO

VST14 2410G UG30
VST14 2410G UG40
VST14 2410G UG60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12500	125	3000 4000 6000	225x400x80	1




FLOPO

VST14 2515G UG30
VST14 2515G UG40
VST14 2515G UG60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	18750	125	3000 4000 6000	280x450x80	1




FLOPO

VST14 2620G UG30
VST14 2620G UG40
VST14 2620G UG60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	25000	125	3000 4000 6000	330x505x90	1






MODU

VST14 1140H US30
VST14 1140H US40
VST14 1140H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4800	120	3000 4000 6000	280x120x95	1




MODU

VST14 1280H US30
VST14 1280H US40
VST14 1280H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	9600	120	3000 4000 6000	280x180x95	1





MODU

VST14 2216H US30
VST14 2216H US40
VST14 2216H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
160W	19200	120	3000 4000 6000	580x180x95	1




MODU

VST14 2324H US30
VST14 2324H US40
VST14 2324H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
240W	28800	120	3000 4000 6000	580x280x95	1




MODU

VST14 4116H US30
VST14 4116H US40
VST14 4116H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
160W	19200	120	3000 4000 6000	1180x120x95	1






FLON

VST14 2250J US30
VST14 2250J US40
VST14 2250J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	6000	120	3000 4000 6000	227x240x50	1




FLON

VST14 3310J US30
VST14 3310J US40
VST14 3310J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12000	120	3000 4000 6000	280x290x50	1





FLON

VST14 4415J US30
VST14 4415J US40
VST14 4415J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	18000	120	3000 4000 6000	320x330x50	1





FLON

VST14 5520J US30
VST14 5520J US40
VST14 5520J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	24000	120	3000 4000 6000	350x360x50	1





FLON


VST14 4830J US30
VST14 4830J US40
VST14 4830J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
300W	36000	120	3000 4000 6000	640x320x50	1



VELAR
LIGHTING



CONTACT
www.velarlighting.com
info@velarlighting.com

2024
**BRIEF
CATALOG**

