

CONTENTS

14

STREET & FLOOD LIGHT



RETES



RETES



RETES



STACA



STACA



CONRA



CONRA



CONTA



URUN



URUN



TABLA



TABLA



TABLA



TABLA



PROCA



PROCA



FLOPO



FLOPO



FLOPO



FLOPO



MODU




MODU



MODU



MODU



MODU



FLON



FLON



FLON



FLON



FLON




RETES

VST14 3645A UG30
VST14 3645A UG40
VST14 3645A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
45W	4500	100	3000 4000 6000	300x640x108	1




RETES

VST14 3660A UG30
VST14 3660A UG40
VST14 3660A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	300x640x108	1




RETES

VST14 3680A UG30
VST14 3680A UG40
VST14 3680A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	8000	100	3000 4000 6000	300x640x108	1




RETES

VST14 3690A UG30
VST14 3690A UG40
VST14 3690A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
90W	9000	100	3000 4000 6000	300x640x108	1




RETES

VST14 3610A UG30
VST14 3610A UG40
VST14 3610A UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	300x640x108	1






STACA

VST14 2560B UG30
VST14 2560B UG40
VST14 2560B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7500	125	3000 4000 6000	230x585x60	1




STACA

VST14 2580B UG30
VST14 2580B UG40
VST14 2580B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	10000	125	3000 4000 6000	230x585x60	1




STACA

VST14 2510B UG30
VST14 2510B UG40
VST14 2510B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12500	125	3000 4000 6000	230x585x60	1




STACA

VST14 2512B UG30
VST14 2512B UG40
VST14 2512B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	15000	125	3000 4000 6000	230x585x60	1




STACA

VST14 2514B UG30
VST14 2514B UG40
VST14 2514B UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
140W	17500	125	3000 4000 6000	230x585x60	1






CONRA

VST14 2450C UG30
VST14 2450C UG40
VST14 2450C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	6250	125	3000 4000 6000	182x436x98	1




CONRA

VST14 3580C UG30
VST14 3580C UG40
VST14 3580C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	10000	125	3000 4000 6000	282x516x77	1




CONRA

VST14 3514C UG30
VST14 3514C UG40
VST14 3514C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
140W	17500	125	3000 4000 6000	282x516x77	1




CONRA

VST14 4618C UG30
VST14 4618C UG40
VST14 4618C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
180W	22500	125	3000 4000 6000	310x660x105	1




CONRA

VST14 4620C UG30
VST14 4620C UG40
VST14 4620C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	25000	125	3000 4000 6000	310x660x105	1






URUN

VST14 2560D UG30
VST14 2560D UG40
VST14 2560D UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7500	125	3000 4000 6000	200x520x80	1




URUN

VST14 2580D UG30
VST14 2580D UG40
VST14 2580D UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	10000	125	3000 4000 6000	200x520x80	1




URUN

VST14 3610C UG30
VST14 3610C UG40
VST14 3610C UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12500	125	3000 4000 6000	200x630x80	1




URUN

VST14 3612D UG30
VST14 3612D UG40
VST14 3612D UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	15000	125	3000 4000 6000	200x630x80	1




URUN

VST14 3615D UG30
VST14 3615D UG40
VST14 3615D UG60

Street Light Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	18750	125	3000 4000 6000	200x630x80	1







TABLA

VST14 2150E US30
VST14 2150E US40
VST14 2150E US60

Onboard Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	5000	100	3000 4000 6000	206x160x30	1




TABLA

VST14 2210E US30
VST14 2210E US40
VST14 2210E US60

Onboard Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	270x210x30	1





TABLA

VST14 2315E US30
VST14 2315E US40
VST14 2315E US60

Onboard Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	15000	100	3000 4000 6000	330x250x30	1





TABLA

VST14 2420E US30
VST14 2420E US40
VST14 2420E US60

Onboard Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	20000	100	3000 4000 6000	370x270x30	1






PROCA

VST14 3360F US30
VST14 3360F US40
VST14 3360F US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7500	125	3000 4000 6000	277x330x65	1





PROCA

VST14 3310F US30
VST14 3310F US40
VST14 3310F US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12500	125	3000 4000 6000	277x330x65	1




PROCA

VST14 4415F US30
VST14 4415F US40
VST14 4415F US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	18750	125	3000 4000 6000	420x379x65	1




PROCA

VST14 4420F US30
VST14 4420F US40
VST14 4420F US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	25000	125	3000 4000 6000	420x379x65	1






FLOPO

VST14 2360G UG30
VST14 2360G UG40
VST14 2360G UG60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	7500	125	3000 4000 6000	230x360x75	1




FLOPO

VST14 2410G UG30
VST14 2410G UG40
VST14 2410G UG60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12500	125	3000 4000 6000	225x400x80	1





FLOPO

VST14 2515G UG30
VST14 2515G UG40
VST14 2515G UG60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	18750	125	3000 4000 6000	280x450x80	1





FLOPO

VST14 2620G UG30
VST14 2620G UG40
VST14 2620G UG60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	25000	125	3000 4000 6000	330x505x90	1






MODU

VST14 1140H US30
VST14 1140H US40
VST14 1140H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4800	120	3000 4000 6000	280x120x95	1




MODU

VST14 1280H US30
VST14 1280H US40
VST14 1280H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	9600	120	3000 4000 6000	280x180x95	1




MODU

VST14 2216H US30
VST14 2216H US40
VST14 2216H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
160W	19200	120	3000 4000 6000	580x180x95	1




MODU

VST14 2324H US30
VST14 2324H US40
VST14 2324H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
240W	28800	120	3000 4000 6000	580x280x95	1




MODU

VST14 4116H US30
VST14 4116H US40
VST14 4116H US60

Modular Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
160W	19200	120	3000 4000 6000	1180x120x95	1






FLON

VST14 2250J US30
VST14 2250J US40
VST14 2250J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	6000	120	3000 4000 6000	227x240x50	1




FLON

VST14 3310J US30
VST14 3310J US40
VST14 3310J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	12000	120	3000 4000 6000	280x290x50	1




FLON

VST14 4415J US30
VST14 4415J US40
VST14 4415J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
150W	18000	120	3000 4000 6000	320x330x50	1




FLON

VST14 5520J US30
VST14 5520J US40
VST14 5520J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
200W	24000	120	3000 4000 6000	350x360x50	1



FLON

VST14 4830J US30
VST14 4830J US40
VST14 4830J US60

Floodlights Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
300W	36000	120	3000 4000 6000	640x320x50	1

