





























CONTENTS

08

WALL AND CEILING LIGHTING

| | | | | |
|--|---|---|--|---|
|  PRAN |  NAPO |  SELA |  SENO |  MIRO |
|  GLEN |  GLEN |  OPGA |  GONA |  GONA |
|  CABU |  GATO |  OPI |  OVI |  HALFA |
|  NOPU |  KODA |  UPDO |  UPKA |  UPVO |
|  HALFI |  DUVI |  NATI |  BREI |  OREI |
|  DUGA |  LUGA |  TREI | | |




PRAN

VCE08 3301A SB00

1XE27 Lampholder Bulkhead Globe With Prismatic

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 1XE27 | 810 | 90 | 3000 4000 6000 | 300x300x100 | 10 |




PRAN

VCE08 3302A SB00

2XE27 Lampholder Bulkhead Globe With Prismatic

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 2XE27 | 1620 | 90 | 3000 4000 6000 | 300x300x100 | 10 |




NAPO

VCE08 3312B SG30 VCE08 3312B SG40 VCE08 3312B SG60

Bulkhead Globe With Opal Diffusor

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 12W | 1200 | 100 | 3000 4000 6000 | 300x300x100 | 10 |




NAPO

VCE08 3320B SG30 VCE08 3320B SG40 VCE08 3320B SG60

Bulkhead Globe With Opal Diffusor

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 20W | 2000 | 100 | 3000 4000 6000 | 300x300x100 | 10 |




NAPO

VCE08 3324B SG30 VCE08 3324B SG40 VCE08 3324B SG60

Bulkhead Globe With Opal Diffusor

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 24W | 2400 | 100 | 3000 4000 6000 | 300x300x100 | 10 |






SELA

VCE08 3302C SB00

2XE27 Sensor Bulkhead Globe Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 2XE27 | 810 | 90 | 3000 4000 6000 | 300x300x95 | 10 |




SELA

VCE08 3302C SB03

2XE27 Sensor Bulkhead Globe Luminaires with 3h Emerg. Kit

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 2XE27 | 1620 | 90 | 3000 4000 6000 | 300x300x95 | 10 |



SENO


VCE08 3318D SB30

VCE08 3318D SB40

VCE08 3318D SB60

Surface Sensor Bulkhead Globe Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 18W | 1620 | 90 | 3000 4000 6000 | 300x300x95 | 10 |



SENO


VCE08 3318D SB33

VCE08 3318D SB43

VCE08 3318D SB63

Surface Sensor Bulkhead Globe Luminaires with 3h Emerg. Kit

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 18W | 1620 | 90 | 3000 4000 6000 | 300x300x95 | 10 |



MIRO


VCE08 6012E WG30

VCE08 6012E WG40

VCE08 6012E WG60

Aluminium Body Overmirror Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 12W | 960 | 80 | 3000 4000 6000 | 68x600x75 | 20 |






GLEN

VCE08 1124F SB30
VCE08 1124F SB40
VCE08 1124F SB60

Bulkhead Glop Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 24W | 2160 | 90 | 3000 4000 6000 | 175x175x45 | 20 |




GLEN

VCE08 2236F SB30
VCE08 2236F SB40
VCE08 2236F SB60

Bulkhead Glop Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 36W | 3240 | 90 | 3000 4000 6000 | 220x220x45 | 16 |




OPGA

VCE08 3318G SB30
VCE08 3318G SB40
VCE08 3318G SB60

Plastic Body Bulkhead Glop Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 18W | 1620 | 90 | 3000 4000 6000 | 300x300x95 | 10 |




GONA

VCE08 1115H SB30
VCE08 1115H SB40
VCE08 1115H SB60

Plastic Body Bulkhead Glop Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 15W | 1350 | 90 | 3000 4000 6000 | 160x160x65 | 20 |





GONA

VCE08 2220H SB30
VCE08 2220H SB40
VCE08 2220H SB60

Plastic Body Bulkhead Glop Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 20W | 1800 | 90 | 3000 4000 6000 | 210x210x65 | 16 |







CABU

VCE08 3312J SB30
VCE08 3312J SB40
VCE08 3312J SB60

Bulkhead Glop Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 12W | 1080 | 90 | 3000 4000 6000 | 260x260x83 | 10 |




GATO

VCE08 1201K WB00

1XE27 Plastic Body Wall Bulkhead Luminaires with Grill

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 1XE27 | 810 | 90 | 3000 4000 6000 | 105x215x125 | 20 |





OPI

VCE08 1212L WB30
VCE08 1212L WB40
VCE08 1212L WB60

Plastic Body Wall Bulkhead Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 12W | 1080 | 90 | 3000 4000 6000 | 105x215x55 | 20 |




OVI

VCE08 1212M WB30
VCE08 1212M WB40
VCE08 1212M WB60

Plastic Body Wall Bulkhead Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 12W | 1080 | 90 | 3000 4000 6000 | 150x260x50 | 20 |




HALFA

VCE08 3301N WS00

1XE27 Lampholder Plastic Body Wall Half Bulkhead

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 1XE27 | 810 | 90 | 3000 4000 6000 | 280x280x100 | 10 |






NOPU

VCE08 1112P WS30
VCE08 1112P WS40
VCE08 1112P WS60

Decorative Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 12W | 960 | 80 | 3000 4000 6000 | 165x165x100 | 10 |




KODA

VCE08 1112R WS30
VCE08 1112R WS40
VCE08 1112R WS60

Decorative Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 12W | 960 | 80 | 3000 4000 6000 | 165x165x100 | 10 |




UPDO

VCE08 1110SA WS30
VCE08 1110SA WS40
VCE08 1110SA WS60

2X5W Decorative Up&Down Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 10W | 800 | 80 | 3000 4000 6000 | 100x135x100 | 10 |




UPKA

VCE08 1110SB WS30
VCE08 1110SB WS40
VCE08 1110SB WS60

2X5W Decorative Up&Down Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 10W | 800 | 80 | 3000 4000 6000 | 100x135x100 | 10 |




UPVO

VCE08 1110SC WS30
VCE08 1110SC WS40
VCE08 1110SC WS60

2X5W Decorative Up&Down Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 10W | 800 | 80 | 3000 4000 6000 | 160x130x75 | 10 |







HALFI

VCE08 1220TA WS30
VCE08 1220TA WS40
VCE08 1220TA WS60

Decorative Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 20W | 1600 | 80 | 3000 4000 6000 | 180x200x80 | 10 |





DUVI

VCE08 1220TB WS30
VCE08 1220TB WS40
VCE08 1220TB WS60

Decorative Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 20W | 1600 | 80 | 3000 4000 6000 | 110x235x100 | 10 |





NATI

VCE08 1220TC WS30
VCE08 1220TC WS40
VCE08 1220TC WS60

Decorative Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 20W | 1600 | 80 | 3000 4000 6000 | 110x235x100 | 10 |




BREI

VCE08 1220TD WS30
VCE08 1220TD WS40
VCE08 1220TD WS60

Decorative Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 20W | 1600 | 80 | 3000 4000 6000 | 100x235x50 | 10 |




OREI

VCE08 1220TE WS30
VCE08 1220TE WS40
VCE08 1220TE WS60

Decorative Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 20W | 1600 | 80 | 3000 4000 6000 | 130x230x50 | 10 |







DUGA

VCE08 1220TF WS30
VCE08 1220TF WS40
VCE08 1220TF WS60

Decorative Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 20W | 1600 | 80 | 3000 4000 6000 | 110x235x100 | 10 |





LUGA

VCE08 1220TG WS30
VCE08 1220TG WS40
VCE08 1220TG WS60

Decorative Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 20W | 1600 | 80 | 3000 4000 6000 | 110x235x100 | 10 |



TREI

VCE08 1206TH WS30
VCE08 1206TH WS40
VCE08 1206TH WS60

Decorative Wall Luminaires

| Power (W) | Lumen (lm) | Efficacy (lm/W) | Kelvin (K) | Dimension (mm)axbxc | Pcs/Pack |
|-----------|------------|-----------------|----------------------|---------------------|----------|
| 6W | 480 | 80 | 3000 4000 6000 | 80x170x60 | 20 |

