



# CONTENTS

01

## ARCHITECTURAL LINEAR LUMINAIRES






**SPACE**

VAR01 6660A SS30  
VAR01 6660A SS40  
VAR01 6660A SS60

600mm Pendant Architectural Ring Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	4800	80	3000 4000 6000	600x600x80	1





**SPACE**

VAR01 9910A SS30  
VAR01 9910A SS40  
VAR01 9910A SS60

900mm Pendant Architectural Ring Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	8000	80	3000 4000 6000	900x900x80	1




**SPACE**

VAR01 1212A SS30  
VAR01 1212A SS40  
VAR01 1212A SS60

1200mm Pendant Architectural Ring Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	9600	80	3000 4000 6000	1200x1200x80	1




**SPADE**

VAR01 6660B SS30  
VAR01 6660B SS40  
VAR01 6660B SS60

600mm Pendant Architectural Round Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	600x600x80	1




**SPADE**

VAR01 9910B SS30  
VAR01 9910B SS40  
VAR01 9910B SS60

900mm Pendant Architectural Round Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	900x900x80	1







## SPADE

VAR01 1212B SS30  
VAR01 1212B SS40  
VAR01 1212B SS60

1200mm Pendant Architectural Round Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	12000	100	3000 4000 6000	1200x1200x80	1





## KANTO

VAR01 6660C SS30  
VAR01 6660C SS40  
VAR01 6660C SS60

600mm Pendant Architectural Square Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	4800	80	3000 4000 6000	600x600x80	1





## KANTO

VAR01 9910C SS30  
VAR01 9910C SS40  
VAR01 9910C SS60

900mm Pendant Architectural Square Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	8000	80	3000 4000 6000	900x900x80	1




## KANTO

VAR01 1212C SS30  
VAR01 1212C SS40  
VAR01 1212C SS60

1200mm Pendant Architectural Square Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	9600	80	3000 4000 6000	1200x1200x80	1




## KANDE

VAR01 6660D SS30  
VAR01 6660D SS40  
VAR01 6660D SS60

600mm Pendant Architectural Square Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	600x600x80	1







## KANDE

VAR01 9910D SS30  
VAR01 9910D SS40  
VAR01 9910D SS60

900mm Pendant Architectural Round Luminares

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	900x900x80	1





## KANDE

VAR01 1212D SS30  
VAR01 1212D SS40  
VAR01 1212D SS60

1200mm Pendant Architectural Square Luminares

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	12000	100	3000 4000 6000	1200x1200x80	1




## RAKA

VAR01 6660E SS30  
VAR01 6660E SS40  
VAR01 6660E SS60

600mm Pendant Architectural Square Luminares

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	4800	80	3000 4000 6000	600x600x80	1





## RAKA

VAR01 9910E SS30  
VAR01 9910E SS40  
VAR01 9910E SS60

900mm Pendant Architectural Square Luminares

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	8000	80	3000 4000 6000	900x900x80	1





## RAKA

VAR01 1212E SS30  
VAR01 1212E SS40  
VAR01 1212E SS60

1200mm Pendant Architectural Square Luminares

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	9600	80	3000 4000 6000	1200x1200x80	1







### UNTA

VAR01 6660F SS30  
VAR01 6660F SS40  
VAR01 6660F SS60

600mm Pendant Architectural Triangle Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	4800	80	3000 4000 6000	600x600x80	1





### UNTA

VAR01 9910F SS30  
VAR01 9910F SS40  
VAR01 9910F SS60

900mm Pendant Architectural Triangle Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	8000	80	3000 4000 6000	900x900x80	1





### UNTA

VAR01 1212F SS30  
VAR01 1212F SS40  
VAR01 1212F SS60

1200mm Pendant Architectural Triangle Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	9600	80	3000 4000 6000	1200x1200x80	1





### HEXA

VAR01 6660G SS30  
VAR01 6660G SS40  
VAR01 6660G SS60

600mm Pendant Architectural Hexagon Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	4800	80	3000 4000 6000	600x600x80	1





### HEXA

VAR01 9910G SS30  
VAR01 9910G SS40  
VAR01 9910G SS60

900mm Pendant Architectural Hexagon Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	8000	80	3000 4000 6000	900x900x80	1







## HEXA

VAR01 1212G SS30  
VAR01 1212G SS40  
VAR01 1212G SS60

1200mm Pendant Architectural Hexagon Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	9600	80	3000 4000 6000	1200x1200x80	1




## HEXDO

VAR01 6660H SS30  
VAR01 6660H SS40  
VAR01 6660H SS60

600mm Pendant Architectural Hexagon Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	6000	100	3000 4000 6000	600x600x80	1





## HEXDO

VAR01 9910H SS30  
VAR01 9910H SS40  
VAR01 9910H SS60

900mm Pendant Architectural Hexagon Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	10000	100	3000 4000 6000	900x900x80	1




## HEXDO

VAR01 1212H SS30  
VAR01 1212H SS40  
VAR01 1212H SS60

1200mm Pendant Architectural Hexagon Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	12000	100	3000 4000 6000	1200x1200x80	1




## DAGA

VAR01 3980J SS30  
VAR01 3980J SS40  
VAR01 3980J SS60

300x900mm Pendant Architectural Rectangular Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	6400	80	3000 4000 6000	300x900x80	1







## DAGA

VAR01 6112J SS30  
VAR01 6112J SS40  
VAR01 6112J SS60

600X1200mm Pendant Architectural Rectangular Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
120W	9600	80	3000 4000 6000	600x1200x80	1






## DAGA

VAR01 8116J SS30  
VAR01 8116J SS40  
VAR01 8116J SS60

800X1600mm Pendant Architectural Rectangular Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
160W	12800	80	3000 4000 6000	800x1600x80	1





## RETA

VAR01 2840K SS30  
VAR01 2840K SS40  
VAR01 2840K SS60

200X800mm Pendant Architectural Rectangular Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4000	100	3000 4000 6000	200x800x80	1





## RETA

VAR01 3950K SS30  
VAR01 3950K SS40  
VAR01 3950K SS60

300X900mm Pendant Architectural Rectangular Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	5000	100	3000 4000 6000	300x900x80	1





## RETA

VAR01 4180K SS30  
VAR01 4180K SS40  
VAR01 4180K SS60

400X1200mm Pendant Architectural Rectangular Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	8000	100	3000 4000 6000	400x1200x80	1








### LUCA

VAR01 3955L SS30  
VAR01 3955L SS40  
VAR01 3955L SS60

300X900mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
55W	4400	80	3000 4000 6000	300x900x80	1






### LUCA

VAR01 3180L SS30  
VAR01 3180L SS40  
VAR01 3180L SS60

300X1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	6400	80	3000 4000 6000	300x1200x80	1





### LUCA

VAR01 6190L SS30  
VAR01 6190L SS40  
VAR01 6190L SS60

600X1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
90W	7200	80	3000 4000 6000	600x1200x80	1





### LUDO

VAR01 3950M SS30  
VAR01 3950M SS40  
VAR01 3950M SS60

300X900mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	5000	100	3000 4000 6000	300x900x80	1



### LUDO


VAR01 4180M SS30  
VAR01 4180M SS40  
VAR01 4180M SS60

400X1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	8000	100	3000 4000 6000	400x1200x80	1









## LUDO

VAR01 6114M SS30  
VAR01 6114M SS40  
VAR01 6114M SS60

600x1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
140W	14000	100	3000 4000 6000	600x1200x80	1





## SEVA

VAR01 1250N SS30  
VAR01 1250N SS40  
VAR01 1250N SS60

1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	4000	80	3000 4000 6000	80x1200x80	1





## SEVA

VAR01 1560N SS30  
VAR01 1560N SS40  
VAR01 1560N SS60

1500mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
60W	4800	80	3000 4000 6000	80x1500x80	1





## SEVA

VAR01 1870N SS30  
VAR01 1870N SS40  
VAR01 1870N SS60

1800mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
70W	5600	80	3000 4000 6000	80x1800x80	1





## YULA

VAR01 4440P SS30  
VAR01 4440P SS40  
VAR01 4440P SS60

450mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	3200	80	3000 4000 6000	450x450x80	1







### YULA

VAR01 6655P SS30  
VAR01 6655P SS40  
VAR01 6655P SS60

600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
55W	4400	80	3000 4000 6000	600x600x80	1





### YULA

VAR01 9980P SS30  
VAR01 9980P SS40  
VAR01 9980P SS60

900mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
80W	6400	80	3000 4000 6000	900x900x80	1





### LAKA

VAR01 6636R SS30  
VAR01 6636R SS40  
VAR01 6636R SS60

600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	600x600x80	1





### LAKA

VAR01 9950R SS30  
VAR01 9950R SS40  
VAR01 9950R SS60

900mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
50W	4000	80	3000 4000 6000	900x900x80	1





### LAKA

VAR01 1175R SS30  
VAR01 1175R SS40  
VAR01 1175R SS60

1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
75W	6000	80	3000 4000 6000	1200x1200x80	1






**URSA**

VAR01 2436S SS30  
VAR01 2436S SS40  
VAR01 2436S SS60

225X450mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	225x450x80	1





**URSA**

VAR01 3655S SS30  
VAR01 3655S SS40  
VAR01 3655S SS60

300X600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
55W	4400	80	3000 4000 6000	300x600x80	1





**URSA**

VAR01 4975S SS30  
VAR01 4975S SS40  
VAR01 4975S SS60

450X900mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
75W	6000	80	3000 4000 6000	450x900x80	1




**LUTA**

VAR01 6625T SS30  
VAR01 6625T SS40  
VAR01 6625T SS60

600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
25W	2000	80	3000 4000 6000	600x600x22	1





**LUTA**

VAR01 8830T SS30  
VAR01 8830T SS40  
VAR01 8830T SS60

800mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	2400	80	3000 4000 6000	800x800x22	1







## LUTA

VAR01 1136T SS30  
VAR01 1136T SS40  
VAR01 1136T SS60

1000mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	1000x1000x22	1





## LUSA

VAR01 3318TA SS30  
VAR01 3318TA SS40  
VAR01 3318TA SS60

300mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
18W	1440	80	3000 4000 6000	300x300x22	1





## LUSA

VAR01 4424TA SS30  
VAR01 4424TA SS40  
VAR01 4424TA SS60

400mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
24W	1920	80	3000 4000 6000	400x400x22	1




## LUSA

VAR01 6636TA SS30  
VAR01 6636TA SS40  
VAR01 6636TA SS60

600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	600x600x22	1




## ELIA

VAR01 6625U SS30  
VAR01 6625U SS40  
VAR01 6625U SS60

600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
25W	2000	80	3000 4000 6000	600x600x35	1






## ELIA

VAR01 8830U SS30  
VAR01 8830U SS40  
VAR01 8830U SS60

800mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
30W	2400	80	3000 4000 6000	800x800x35	1





## ELIA

VAR01 1136U SS30  
VAR01 1136U SS40  
VAR01 1136U SS60

1000mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
36W	2880	80	3000 4000 6000	1000x1000x35	1





## ESTA

VAR01 3312UA SS30  
VAR01 3312UA SS40  
VAR01 3312UA SS60

300mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	960	80	3000 4000 6000	300x300x35	1





## ESTA

VAR01 4416UA SS30  
VAR01 4416UA SS40  
VAR01 4416UA SS60

400mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
16W	1280	80	3000 4000 6000	400x400x35	1





## ESTA

VAR01 6620UA SS30  
VAR01 6620UA SS40  
VAR01 6620UA SS60

600mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	600x600x35	1







### ALISA

VAR01 2120V SS30  
VAR01 2120V SS40  
VAR01 2120V SS60

1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	20x1200x35	1





### ARTE

VAR01 1120Y SS30  
VAR01 1120Y SS40  
VAR01 1120Y SS60

1000mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
20W	1600	80	3000 4000 6000	10x1000x35	1






### LAVA

VAR01 1112Z SS30  
VAR01 1112Z SS40  
VAR01 1112Z SS60

1200mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
12W	960	80	3000 4000 6000	10x1200x35	1





### ADRE

VAR01 8810XA SS30  
VAR01 8810XA SS40  
VAR01 8810XA SS60

800X800mm Pendant Architectural Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	11000	110	3000 4000 6000	800x800x70	1





### APRE

VAR01 1111XB SS30  
VAR01 1111XB SS40  
VAR01 1111XB SS60

1000x1000mm Pendant Architectural Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
110W	12100	110	3000 4000 6000	1000x1000x70	1







### BARE

VAR01 6110XC SS30  
VAR01 6110XC SS40  
VAR01 6110XC SS60

600x1000mm Pendant Architectural Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
100W	11000	110	3000 4000 6000	600x1000x70	1





### BETA

VAR01 6114XD SS30  
VAR01 6114XD SS40  
VAR01 6114XD SS60

600x1000mm Pendant Architectural Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
140W	15400	110	3000 4000 6000	600x1000x70	1





### NARE

VAR01 8885XE SS30  
VAR01 8885XE SS40  
VAR01 8885XE SS60

800x800mm Pendant Architectural Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
85W	9350	110	3000 4000 6000	800x800x70	1





### ZEGO

VAR01 3940XF SS30  
VAR01 3940XF SS40  
VAR01 3940XF SS60

300x900mm Pendant Architectural Luminaires with Lens

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
40W	4400	110	3000 4000 6000	300x900x70	1



### ZIGNA

VAR01 3195XG SS30  
VAR01 3195XG SS40  
VAR01 3195XG SS60

300x1500mm Pendant Architectural Luminaires

Power (W)	Lumen (lm)	Efficacy (lm/W)	Kelvin (K)	Dimension (mm)axbxc	Pcs/Pack
95W	10450	110	3000 4000 6000	300x1500x70	1

